

SAFETY DATA SHEET

i.62 easydose (alu-air)

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

▼ *Trade name:*
i.62 easydose (alu-air)

Unique formula identifier (UFI):
6Q5V-AR59-QHJV-HXSW

1.2. Relevant identified uses of the substance or mixture and uses advised against

Relevant identified uses of the substance or mixture:
Washing and cleaning products (including solvent based products)
Restricted to professional and industrial use.

Uses advised against :
None known.

1.3. Details of the supplier of the safety data sheet

▼ *Company and address:*
i-team UK
The Alima Centre, 35 Sefton St
L8 5SL Toxteth, Liverpool
United Kingdom
+44 1945 595177

E-mail:
info@hygeniq.com

Revision:
17/03/2026

SDS Version:
4.0

Date of previous version:
05/03/2026 (3.0)

1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

Classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.1. Classification of the substance or mixture

Aerosol 3; H229, Pressurised container: May burst if heated.

2.2. Label elements

Hazard pictogram(s):

Not applicable.

Signal word:

Warning

Hazard statement(s):

Pressurised container: May burst if heated. (H229)

Precautionary statement(s):

General:

Not applicable.

Prevention:

Keep away from heat, hot surfaces, sparks, open flames and other ignition sources. No smoking. (P210)

Do not pierce or burn, even after use. (P251)

Response:

Not applicable.

Storage:

Protect from sunlight. Do not expose to temperatures exceeding 50 °C/122°F. (P410+P412)

Disposal:

Not applicable.

Hazardous substances:

Contains no substances that need to be listed on the label.

Additional labelling:

UFI: 6Q5V-AR59-QHJV-HXSW

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:

< 5%

- Anionic surfactants
- Non-ionic surfactants
- Preservation agent (PHENOXYETHANOL)

2.3. Other hazards

Additional warnings:

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
C10-16 Alcoholethoxyla at propoxyla at	CAS No.: 69227-22-1 EC No.: UK-REACH: Index No.:	3-5%	Eye Irrit. 2, H319	[19]
2-phenoxyethanol	CAS No.: 122-99-6 EC No.: 204-589-7 UK-REACH: Index No.: 603-098-00-9	<1%	Acute Tox. 4, H302 (ATE: 1394.00 mg/kg) Eye Dam. 1, H318 STOT SE 3, H335	
citric acid	CAS No.: 77-92-9 EC No.: 201-069-1 UK-REACH: Index No.: 607-750-00-3	<1%	Eye Irrit. 2, H319 STOT SE 3, H335	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact:

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact:

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion:

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Pressurised container. In a fire or if heated, a pressure increase will occur and the container may burst.

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO_x)

Carbon oxides (CO / CO₂)

5.3. Advice for firefighters

Wear self-contained breathing apparatus and protective clothing to prevent contact. Upon direct exposure contact The National Poisons Information Service (dial 111, 24 h service) in order to obtain further advice.

Hazchem Code: None

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Do not pierce or burn, even after use.

Avoid contact during pregnancy and while nursing.

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:

Keep only in original packaging.

Storage conditions:

Dry, cool and well ventilated

Incompatible materials:

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. Control parameters

Propane-1,2-diol

Long term exposure limit (8 hours) (ppm): 150(total)

Long term exposure limit (8 hours) (mg/m³): 474(total)/10(particulates)

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

DNEL

2-phenoxyethanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects	Dermal	10,42 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	20,83 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	34.72 mg/kg bw/day
Long term – Local effects - Workers	Inhalation	5,7 mg/m ³
Long term – Local effects - Workers	Inhalation	8,07 mg/m ³
Long term – Systemic effects	Inhalation	2,41 mg/m ³
Long term – Systemic effects - Workers	Inhalation	5,7 mg/m ³
Long term – Systemic effects - Workers	Inhalation	8.07 mg/m ³
Long term – Local effects - General population	Oral	9,32 mg/kg bw/day
Short term – Systemic effects	Oral	9,23 mg/kg bw/day

N,N-dimethyldec-9-enamide

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0.5 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	2.857 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	1.4 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	5.71 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	0.87 mg/m ³
Long term – Systemic effects - General population	Inhalation	10 mg/m ³
Long term – Systemic effects - General population	Inhalation	2.857 mg/kg bw/day
Long term – Systemic effects - Workers	Inhalation	4.93 mg/m ³
Long term – Systemic effects - Workers	Inhalation	40 mg/m ³
Long term – Systemic effects - General population	Oral	0.5 mg/kg bw/day

Propane-1,2-diol

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	51 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	84 mg/kg bw/day
Long term – Local effects	Inhalation	10 mg/m ³
Long term – Local effects - General population	Inhalation	10 mg/m ³
Long term – Local effects - Workers	Inhalation	10 mg/m ³
Long term – Local effects - Workers	Inhalation	10 mg/m ³
Long term – Systemic effects - General population	Inhalation	50 mg/m ³
Long term – Systemic effects - General population	Inhalation	70 mg/m ³
Long term – Systemic effects - Workers	Inhalation	168 mg/m ³
Long term – Systemic effects - Workers	Inhalation	238 mg/m ³
Long term – Systemic effects - General population	Oral	24 mg/kg bw/day

PNEC

2-phenoxyethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,943 mg/L
Freshwater sediment		7.2366 mg/kg TG
Intermittent release (freshwater)		3,44 mg/L
Marine water		0.0943 mg/L
Marine water sediment		0,7237 mg/kg
Sewage treatment plant		24,8 mg/L
Sewage treatment plant	Single	36 mg/L
Soil		1,26 mg/kg TG

N,N-dimethyldec-9-enamide

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		38.8 µg/L
Freshwater sediment		2.14 mg/kg
Freshwater sediment		1.541 mg/kg
Intermittent release (freshwater)		28 µg/L
Intermittent release (marine water)		2.8 µg/L
Marine water		3.88 µg/L
Marine water		0.003 mg/L
Marine water sediment		0.214 mg/kg
Marine water sediment		0.154 mg/kg
Predators		20 mg/kg
Predators		12.71 mg/kg
Sewage treatment plant		2.12 mg/L
Soil		1.03 mg/kg
Soil		5.3 mg/kg

Propane-1,2-diol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0.1 mg/L
Freshwater sediment		572 mg/kg TG
Freshwater sediment		0.238 mg/kg
Intermittent release (freshwater)		1 mg/L
Marine water		0.01 mg/L
Marine water sediment		26 mg/L
Marine water sediment		57,2 mg/kg TG
Marine water sediment		26 mg/L
Marine water sediment		0.024 mg/kg
Predators		313 mg/kg
Sewage treatment plant		20000 mg/L
Sewage treatment plant		1,000 mg/L
Soil		50 mg/kg TG
Soil		0.025 mg/kg
Water		260 mg/L

8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

Exposure limits:

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

Appropriate technical measures:

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures:

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure:

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally:

Use only UKCA marked protective equipment.


Respiratory Equipment:

Type	Class	Colour	Standards	
No special when used as intended.				


Skin protection:

Recommended	Type/Category	Standards	
No special when used as intended.	-	-	

Hand protection:

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
	No special when used as intended	-	-	-	
In the event of prolonged exposure or high concentrations	Cotton/Latex	-	> 120	EN374-2, EN16523-1, EN388	

Eye protection:

Work situation	Type	Standards	
	No special when used as intended.	-	
In the event of prolonged exposure or high concentrations	Safety glasses with side shields.	EN166	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:

Liquid

Colour:

Pale yellow

Odour / Odour threshold:

Characteristic

pH:

ca. 5.1

Density (g/cm³):

1.01 (20 °C)

Kinematic viscosity:

No data available.

Particle characteristics:

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C):

No data available.

Softening point/range (°C):

Does not apply to liquids.

Boiling point (°C):

No data available.

Vapour pressure:

No data available.

Relative vapour density:

No data available.

Decomposition temperature (°C):

No data available.

Data on fire and explosion hazards

Flash point (°C):

No data available.

Flammability (°C):

No data available.

Auto-ignition temperature (°C):

No data available.

Lower and upper explosion limit (% v/v):

No data available.

Solubility

Solubility in water:

Completely soluble

n-octanol/water coefficient (LogKow):

No data available.

Solubility in fat (g/L):

No data available.

9.2. Other information

Oxidizing properties:

No data available.

Other physical and chemical parameters:

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

Acute toxicity

Product/substance C10-16 Alcoholethoxylaate propoxylaate
Species: Rat
Route of exposure: Oral
Test: LD50
Result: > 5000 Read across mg/kg

Product/substance Propane-1,2-diol
Species: Rat
Route of exposure: Oral
Test: LD50
Result: >2000 mg/kg

Product/substance Propane-1,2-diol
Species: Rabbit
Route of exposure: Dermal
Test: LD50
Result: >2000 mg/kg

Product/substance Propane-1,2-diol
Species: Rat
Route of exposure: Inhalation
Test: LC50
Result: 44.9 mg/L

Product/substance N,N-dimethyldec-9-enamide
Test method: OECD 402
Species: Rat
Route of exposure: Oral
Test: LD50
Result: >5000 mg/kg

Product/substance N,N-dimethyldec-9-enamide
Test method: OECD 403
Species: Rat
Route of exposure: Inhalation
Test: LC50 (vapour)
Result: > 3551 mg/m³ mg/m³

Product/substance N,N-dimethyldec-9-enamide
Test method: OECD 425
Species: Rat
Route of exposure: Oral
Test: LD50
Result: 550 mg/kg

Product/substance N,N-dimethyldec-9-enamide
Route of exposure: Oral
Test: NOAEL
Result: 200 mg/kg bw/day

Product/substance 2-phenoxyethanol
Species: Rat

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Route of exposure: Oral
Test: LD50
Result: 1840 mg/kg

Product/substance 2-phenoxyethanol
Species: Rabbit
Route of exposure: Dermal
Result: >5000 mg/kg

Product/substance 2-phenoxyethanol
Species: Rabbit, male/female
Route of exposure: Dermal
Test: LD50
Result: >2214 mg/kg

Based on available data, the classification criteria are not met.

Skin corrosion/irritation

Product/substance C10-16 Alcoholethoxylaate propoxylaate
Result: Adverse effect observed (Irritating)

Product/substance Propane-1,2-diol
Result: No adverse effect observed (Not irritating)

Product/substance N,N-dimethyldec-9-enamide
Result: Adverse effect observed (Irritating)

Product/substance 2-phenoxyethanol
Result: Adverse effect observed (Corrosive)

Product/substance 2-phenoxyethanol
Test method: OECD 404
Species: Rabbit
Duration: 4 hours
Result: No adverse effect observed (Not irritating)

Based on available data, the classification criteria are not met.

Serious eye damage/irritation

Product/substance Propane-1,2-diol
Result: Adverse effect observed (Slightly irritating)

Product/substance N,N-dimethyldec-9-enamide
Result: Adverse effect observed (Causes serious eye damage)

Product/substance 2-phenoxyethanol
Result: Adverse effect observed (Causes serious eye damage)

Product/substance 2-phenoxyethanol
Test method: OECD 405
Species: Rabbit
Duration: 15 days
Result: Adverse effect observed (Causes serious eye damage)

Based on available data, the classification criteria are not met.

Respiratory sensitisation

Product/substance	N,N-dimethyldec-9-enamide
Product/substance	2-phenoxyethanol
Result:	Adverse effect observed (sensitising)

Based on available data, the classification criteria are not met.

Skin sensitisation

Product/substance	N,N-dimethyldec-9-enamide
Result:	Adverse effect observed (sensitising)

Product/substance	2-phenoxyethanol
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product/substance	2-phenoxyethanol
Test method:	OECD 471
Species:	S. typhimurium
Description:	20-5000
Conclusion:	No adverse effect observed

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Product/substance	Propane-1,2-diol
Conclusion:	No adverse effect observed

Product/substance	2-phenoxyethanol
Species:	Mouse, male/female
Result:	1875 mg/kg bw

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

Symptoms related to the physical, chemical and toxicological characteristics

None known.

11.2. Information on other hazards

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. ▼ Toxicity

Product/substance C10-16 Alcoholethoxylaat propoxylaat
 Test method: OECD 203
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: >1 - 10 mg/L

Product/substance C10-16 Alcoholethoxylaat propoxylaat
 Test method: OECD 202
 Duration: 48 hours
 Test: EC50
 Result: >1 - 10 mg/L

Product/substance C10-16 Alcoholethoxylaat propoxylaat
 Test method: OECD 201
 Duration: 72 hours
 Test: EC50
 Result: > 1 - 10 mg/L

Product/substance C10-16 Alcoholethoxylaat propoxylaat
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: 6,7 mg/L

Product/substance C10-16 Alcoholethoxylaat propoxylaat
 Duration: 48 hours
 Test: EC50
 Result: 7,6 mg/L

Product/substance C10-16 Alcoholethoxylaat propoxylaat
 Species: Algae
 Duration: 72 hours
 Test: IC50
 Result: 4,41 mg/L

Product/substance Propane-1,2-diol
 Species: Fish
 Duration: 96 hours
 Test: LC50
 Result: 40613 mg/L

Product/substance Propane-1,2-diol
 Species: Crustacean
 Duration: 48 hours
 Test: LC50
 Result: 18340 mg/L

Product/substance Propane-1,2-diol
 Species: Crustacean
 Duration: 7 days
 Test: NOEC
 Result: 13020 mg/L

Product/substance	Propane-1,2-diol
Species:	Algae
Duration:	96 hours
Test:	ErC50
Result:	19000 mg/L
Product/substance	Propane-1,2-diol
Species:	Bacteria
Duration:	18 hours
Test:	NOEC
Result:	>20000 mg/L
Product/substance	N,N-dimethyldec-9-enamide
Test method:	OECD 203
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>7,5 mg/L
Product/substance	N,N-dimethyldec-9-enamide
Test method:	OECD 202
Species:	Crustacean, Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	2,8 mg/L
Product/substance	N,N-dimethyldec-9-enamide
Species:	Crustacean, Daphia
Duration:	21 days
Test:	NOEC
Result:	0,28 mg/L
Product/substance	N,N-dimethyldec-9-enamide
Test method:	OECD 210
Species:	Fish, Danio rerio
Test:	NOEC
Result:	>= 0,71 mg/L
Product/substance	N,N-dimethyldec-9-enamide
Test method:	OECD 201
Species:	Algae
Duration:	96 hours
Test:	EC50
Result:	> 9 mg/L
Product/substance	N,N-dimethyldec-9-enamide
Test method:	OECD 201
Species:	Algae
Duration:	96 hours
Test:	NOEC
Result:	1,1 mg/L
Product/substance	2-phenoxyethanol
Species:	Fish
Duration:	96 hours

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Test: LC50
Result: >100 mg/L

Product/substance: 2-phenoxyethanol
Species: Algae
Duration: 72 hours
Test: ErC50
Result: >100 mg/L

Product/substance: 2-phenoxyethanol
Species: Daphnia magna
Duration: 48 hours
Test: EC50
Result: >100 mg/L

Product/substance: 2-phenoxyethanol
Species: Fish
Test: NOEC
Result: 23 mg/L

Product/substance: 2-phenoxyethanol
Species: Andere waterorganismen
Duration: 30 minutes
Test: EC50
Result: >1000 mg/L

Product/substance: 2-phenoxyethanol
Species: Fish, Pimephales promelas
Duration: 96 hours
Result: 344 mg/L

Product/substance: 2-phenoxyethanol
Test method: OECD 202
Species: Daphnia, Daphnia magna
Duration: 48 hours
Result: >500 mg/L

Product/substance: 2-phenoxyethanol
Test method: Richtlijn 67/548/EEG, Bijlage V, C.1.
Species: Algae, Desmodesmus subspicatus
Duration: 72 hours
Result: 625 mg/L

Product/substance: 2-phenoxyethanol
Test method: OECD 211
Species: Daphnia, Daphnia magna
Test: NOEC
Result: 9,43 mg/L

Product/substance: 2-phenoxyethanol
Species: Algae
Test: EC50
Result: 107 mg/kg

Product/substance: 2-phenoxyethanol

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Test: EC50
Result: 37 mg/kg

Based on available data, the classification criteria are not met.

12.2. ▼ Persistence and degradability

Product/substance C10-16 Alcoholethoxylaate propoxylaate
Conclusion: -
Test: OECD 301 B

Product/substance Propane-1,2-diol
Result: 96%
Conclusion: -

Product/substance Propane-1,2-diol
Duration: 28 days
Result: 81 %
Conclusion: -

Product/substance N,N-dimethyldec-9-enamide
Result: 63,93%
Conclusion: Readily biodegradable
Test: OECD 301 B

Product/substance 2-phenoxyethanol
Result: >70 %
Conclusion: Readily biodegradable
Test: OECD 301 A

Product/substance 2-phenoxyethanol
Compartment: Activated Sludge Plant
Duration: 28 days
Result: 90 %
Conclusion: Readily biodegradable
Test: OECD 301 F

Product/substance 2-phenoxyethanol
Compartment: Activated Sludge Plant
Result: > 90 %
Conclusion: Readily biodegradable

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

12.3. Bioaccumulative potential

Product/substance C10-16 Alcoholethoxylaate propoxylaate
Conclusion: -

Product/substance Propane-1,2-diol
BCF: 0,09
LogKow: -1,07
Conclusion: -

Product/substance N,N-dimethyldec-9-enamide

LogKow: log Kow : 3.17 (OESO 117)
Conclusion: -

Product/substance 2-phenoxyethanol
BCF: 0.349
LogKow: 1.2
Conclusion: -

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

None known.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is not covered by regulations on dangerous waste.
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR/A DN/RID	1950	AEROSOLS	Transport hazard class: 2 Label: 2.2 Classification code: 5A	-	No	Limited quantities: 1 L Tunnel restriction code: 3 (E) See below for additional information.
IMDG	1950	AEROSOLS	Transport hazard class: 2 Label: 2.2 Classification code: 5A	-	No	Limited quantities: 1 L EmS: F-D S-U See below for additional information.
IATA	1950	AEROSOLS	Transport hazard class: 2 Label: 2.2 Classification code: 5A	-	No	See below for additional information.

* Packing group

** Environmental hazards

Additional information

This product is within scope of the regulations of transport of dangerous goods.

ADR/ADN/RID / See Table A, section 3.2.1 for any information on special provisions, requirements, or warnings in connection with transport. See section 5.4.3, for instructions in writing regarding mitigation of damages in relation to incidents or accidents during transport.

IMDG / See section 3.2.1, for any information on special provisions, requirements, or warnings in connection with transport.

IATA / See Table 4.2 for any information on special provisions, requirements, or warnings in connection with transport.

Hazchem Code: None

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

▼ Restrictions for application:

Restricted to professional users.

Pregnant women and women breastfeeding must not be exposed to this product. The risk, and possible technical precautions or design of the workplace needed to eliminate exposure, must be considered.

Demands for specific education:

No specific requirements.

Control of Major Accident Hazards (COMAH) - Categories / dangerous substances:

Not applicable.

Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:

< 5%

- Anionic surfactants
- Non-ionic surfactants
- Preservation agent (PHENOXYETHANOL)

Additional information:

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

Sources:

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

Full text of H-phrases as mentioned in section 3

H302, Harmful if swallowed.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H335, May cause respiratory irritation.

Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EC = Effective concentration

ED = Effective dose

EINECS = European Inventory of Existing Commercial chemical Substances

EL = Effective Loading

ErC = Concentration associated with x% growth rate response

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

HP = Hazardous Property code

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IC = X maximum inhibitory concentration

IMDG = International Maritime Dangerous Goods

LC = Lethal concentration

LCLo = Value is the lowest concentration of a material in air reported to have caused the death of animals or humans

LD = Lethal dose

LOAEC = Lowest Observed Adverse Effect Concentration

LOAEL = Lowest Observed Adverse Effect Level

LOEC = Lowest Observed Effect Concentration

LogKow = logarithm of the n-octanol/water coefficient

LL = Lethal Loading

M = For multiplication factor

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)

NOAEC = No Observed Adverse Effect Concentration

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOELR = No Observable Effect Loading Rate

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

Additional information

Not applicable.

The safety data sheet is validated by

Quality & Compliance

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en