

## SAFETY DATA SHEET

# iD.11 flexdose

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

▼ *Trade name:*  
iD.11 flexdose

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:*

Washing and cleaning products (including solvent based products)  
Restricted to professional and industrial use.

*Uses advised against :*

None known.

### 1.3. Details of the supplier of the safety data sheet

*Company and address:*

**i-team UK**  
The Alima Centre, 35 Sefton St  
L8 5SL Toxteth, Liverpool  
United Kingdom  
+44 1945 595177

*E-mail:*

info@hygeniq.com

*Revision:*

23/03/2026

*SDS Version:*

3.0

*Date of previous version:*

17/03/2026 (2.0)

### 1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.2. Label elements

*Hazard pictogram(s):*

Not applicable.

*Signal word:*

Not applicable.

*Hazard statement(s):*

Not applicable.

*Precautionary statement(s):*

*General:*

Not applicable.

*Prevention:*

Not applicable.

*Response:*

Not applicable.

*Storage:*

Not applicable.

*Disposal:*

Not applicable.

*Hazardous substances:*

Contains no substances that need to be listed on the label.

*Additional labelling:*

*Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:*

≥5% - <15%

- Non-ionic surfactants

< 5%

- Anionic surfactants

- Perfumes

- Preservation agent (PHENOXYETHANOL)

- Preservation agent (BENZISOTHIAZOLINONE)

## 2.3. Other hazards

*Additional warnings:*

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

| Product/substance                        | Identifiers   | % w/w | Classification                              | Note |
|--|---|-------|---|------|
| Alkyl ether carboxylic acid, sodium salt | CAS No.: 33939-64-9<br>EC No.: 608-922-0<br>UK-REACH:<br>Index No.: | <1%   | Eye Dam. 1, H318<br>Aquatic Chronic 3, H412 |      |

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

|   |   |          |  |  |
|---|---|----------|--|--|
| Polyoxyethylene alkyl ether   | CAS No.: 9002-92-0<br>EC No.: 500-002-6<br>UK-REACH:<br>Index No.:                | <1%      | Acute Tox. 4, H302<br>Eye Irrit. 2, H319<br>Aquatic Chronic 3, H412                                      |  |
| 2-phenoxyethanol  | CAS No.: 122-99-6<br>EC No.: 204-589-7<br>UK-REACH:<br>Index No.: 603-098-00-9    | <1%      | Acute Tox. 4, H302 (ATE: 1394.00 mg/kg)<br>Eye Dam. 1, H318<br>STOT SE 3, H335                           |  |
| Sodium N-methyl-N-(1-oxotetradecyl)aminoacetate   | CAS No.: 30364-51-3<br>EC No.: 250-151-3<br>UK-REACH:<br>Index No.:               | <0.25%   | Skin Irrit. 2, H315 (SCL: 30.00 %)<br>Eye Dam. 1, H318   |  |
| Xanthan gum   | CAS No.: 11138-66-2<br>EC No.: 234-394-2<br>UK-REACH:<br>Index No.:               | <0.1%    |  |  |
| Decanal   | CAS No.: 112-31-2<br>EC No.: 203-957-4<br>UK-REACH:<br>Index No.:                 | <0.01%   | Eye Irrit. 2, H319<br>Aquatic Chronic 2, H411  |  |
| 2,4,6-trimethyl-4-phenyl-1,3-dioxane  | CAS No.: 5182-36-5<br>EC No.: 225-963-6<br>UK-REACH:<br>Index No.:                | <0.01%   | Acute Tox. 4, H302<br>Aquatic Chronic 3, H412  |  |
| hexan-1-ol  | CAS No.: 111-27-3<br>EC No.: 203-852-3<br>UK-REACH:<br>Index No.: 603-059-00-6    | <0.01%   | Acute Tox. 4, H302   |  |
| Allyl (3-methylbutoxy)acetate   | CAS No.: 67634-00-8<br>EC No.: 266-803-5<br>UK-REACH:<br>Index No.:               | <0.0015% | Acute Tox. 4, H302<br>Acute Tox. 2, H330<br>Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1) |  |
| 3,7-dimethyloct-6-en-3-ol   | CAS No.: 18479-51-1<br>EC No.: 242-359-8<br>UK-REACH:<br>Index No.:               | <0.0015% | Skin Irrit. 2, H315  |  |
| 3a,4,5,6,7,7a-hexahydro-4,7-methanoinden-6-yl acetate   | CAS No.: 5413-60-5<br>EC No.: 226-501-6<br>UK-REACH:<br>Index No.:                | <0.0015% | Aquatic Chronic 1, H410 (M=1)  |  |
| isocyclocitral  | CAS No.: 1335-66-6<br>EC No.: 215-638-7<br>UK-REACH:<br>Index No.: 605-043-00-4   | <0.0015% | Skin Sens. 1, H317   |  |
| A mixture of: (E)-2,12-tridecadiennitrile; (E)-3,12-tridecadiennitrile; (Z)-3,12-tridecadiennitrile | CAS No.: 124071-40-5<br>EC No.: 422-190-8<br>UK-REACH:<br>Index No.: 608-037-00-X | <0.0015% | Aquatic Acute 1, H400 (M=1)<br>Aquatic Chronic 1, H410 (M=1)   |  |

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

-

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### *General information:*

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### *Inhalation:*

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### *Skin contact:*

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

#### *Eye contact:*

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

#### *Ingestion:*

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

#### *Burns:*

Not applicable.

### 4.2. Most important symptoms and effects, both acute and delayed

None known.

### 4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

#### Information to medics

Bring this safety data sheet or the label from this product.

## SECTION 5: FIREFIGHTING MEASURES

### 5.1. Extinguishing media

Not applicable.

### 5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>)

### 5.3. Advice for firefighters

No specific requirements.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

### 6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

### 6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

### 6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.

See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

*Recommended storage material:*

Keep only in original packaging.

*Storage conditions:*

Dry, cool and well ventilated

*Incompatible materials:*

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. ▼ Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

#### ▼ DNEL

1,2-benzisothiazol-3(2H)-one

| Duration:   | Route of exposure: | DNEL:                 |
|---|--------------------|-----------------------|
| Long term – Systemic effects - General population | Dermal             | 0.345 mg/kg           |
| Long term – Systemic effects - General population | Dermal             | 0.345 mg/kg bw/day    |
| Long term – Systemic effects - Workers            | Dermal             | 0.966 mg/kg bw/day    |
| Long term – Systemic effects - General population | Inhalation         | 1.2 mg/m <sup>3</sup> |
| Long term – Systemic effects - General population | Inhalation         | 1.2 mg/m <sup>3</sup> |

|   |            |                        |
|---|------------|------------------------|
| Long term – Systemic effects - Workers            | Inhalation | 6.81 mg/m <sup>3</sup> |
| Short term – Local effects - Workers              | Inhalation | 0.5 mg/L               |
| Long term – Systemic effects - General population | Oral       | 1.2 mg/kg bw/day       |

#### 2-phenoxyethanol

| Duration:   | Route of exposure: | DNEL:                  |
|---|--------------------|------------------------|
| Long term – Systemic effects                      | Dermal             | 10,42 mg/kg bw/day     |
| Long term – Systemic effects - General population | Dermal             | 20,83 mg/kg bw/day     |
| Long term – Systemic effects - Workers            | Dermal             | 34.72 mg/kg bw/day     |
| Long term – Local effects - Workers               | Inhalation         | 5,7 mg/m <sup>3</sup>  |
| Long term – Local effects - Workers               | Inhalation         | 8,07 mg/m <sup>3</sup> |
| Long term – Systemic effects                      | Inhalation         | 2,41 mg/m <sup>3</sup> |
| Long term – Systemic effects - Workers            | Inhalation         | 5,7 mg/m <sup>3</sup>  |
| Long term – Systemic effects - Workers            | Inhalation         | 8,07 mg/m <sup>3</sup> |
| Long term – Local effects - General population    | Oral               | 9,32 mg/kg bw/day      |
| Short term – Systemic effects                     | Oral               | 9,23 mg/kg bw/day      |

#### ▼ PNEC

##### 1,2-benzisothiazol-3(2H)-one

| Route of exposure:                  | Duration of Exposure: | PNEC:      |
|-------------------------------------|-----------------------|------------|
| Freshwater                          |                       | 4.03 µg/L  |
| Freshwater sediment                 |                       | 49.9 µg/kg |
| Intermittent release (freshwater)   |                       | 1.1 µg/L   |
| Intermittent release (marine water) |                       | 110 ng/L   |
| Marine water                        |                       | 0.403 µg/L |
| Marine water sediment               |                       | 4.99 µg/kg |
| Sewage treatment plant              |                       | 1.03 mg/L  |
| Soil                                |                       | 3 mg/kg    |

#### 2-phenoxyethanol

| Route of exposure:                | Duration of Exposure: | PNEC:           |
|-----------------------------------|-----------------------|-----------------|
| Freshwater                        |                       | 0,943 mg/L      |
| Freshwater sediment               |                       | 7,2366 mg/kg TG |
| Intermittent release (freshwater) |                       | 3,44 mg/L       |
| Marine water                      |                       | 0,0943 mg/L     |
| Marine water sediment             |                       | 0,7237 mg/kg    |
| Sewage treatment plant            |                       | 24,8 mg/L       |
| Sewage treatment plant            | Single                | 36 mg/L         |
| Soil                              |                       | 1,26 mg/kg TG   |

#### 8.2. ▼ Exposure controls

Apply general control to prevent unnecessary exposure

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*

There are no exposure scenarios implemented for this product.

▼ *Exposure limits:*

Occupational exposure limits have not been defined for the substances in this product.

▼ *Appropriate technical measures:*

Apply standard precautions during use of the product. Avoid inhalation of vapours.

*Hygiene measures:*

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

*Measures to avoid environmental exposure:*

No specific requirements.

**Individual protection measures, such as personal protective equipment**

*Generally:*

Use only UKCA marked protective equipment.

*Respiratory Equipment:*

| Type                              | Class | Colour | Standards |
|-----------------------------------|-------|--------|-----------|
| No special when used as intended. |       |        |           |

*Skin protection:*

| Recommended                       | Type/Category | Standards |
|-----------------------------------|---------------|-----------|
| No special when used as intended. | -             | -         |

*Hand protection:*

| Work situation  | Material                         | Glove thickness (mm) | Breakthrough time (min.) | Standards                 |
|---|----------------------------------|----------------------|--------------------------|---------------------------|
|   | No special when used as intended | -                    | -                        | -                         |
| In the event of prolonged exposure or high concentrations | Cotton/Latex                     | -                    | > 120                    | EN374-2, EN16523-1, EN388 |



*Eye protection:*

| Work situation  | Type                              | Standards |
|---|-----------------------------------|-----------|
|   | No special when used as intended. | -         |
| In the event of prolonged exposure or high concentrations | Safety glasses with side shields. | EN166     |



**SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES**

**9.1. Information on basic physical and chemical properties**

*Physical state:*

Liquid

*Colour:*

Colourless

*Odour / Odour threshold:*

Of perfume

*pH:*

ca. 7,8

*Density (g/cm<sup>3</sup>):*

1.03 (20 °C)

*Kinematic viscosity:*

50 mPa.s

*Particle characteristics:*

Does not apply to liquids.

**Phase changes**

*Melting point/Freezing point (°C):*

No data available.

*Softening point/range (°C):*

Does not apply to liquids.

*Boiling point (°C):*

No data available.

*Vapour pressure:*

No data available.

*Relative vapour density:*

No data available.

*Decomposition temperature (°C):*

No data available.

**Data on fire and explosion hazards**

*Flash point (°C):*

No data available.

*Flammability (°C):*

No data available.

*Auto-ignition temperature (°C):*

No data available.

*Lower and upper explosion limit (% v/v):*

No data available.

**Solubility**

*Solubility in water:*

Completely soluble

*n-octanol/water coefficient (LogKow):*

No data available.

*Solubility in fat (g/L):*

No data available.

**9.2. Other information**

*Oxidizing properties:*

No data available.

*Other physical and chemical parameters:*

No data available.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

No data available.

### 10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

### 10.3. Possibility of hazardous reactions

None known.

### 10.4. Conditions to avoid

None known.

### 10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

#### ▼ Acute toxicity

|                    |                  |
|--------------------|------------------|
| Product/substance  | 2-phenoxyethanol |
| Species:           | Rat              |
| Route of exposure: | Oral             |
| Test:              | LD50             |
| Result:            | 1840 mg/kg       |

|                    |                  |
|--------------------|------------------|
| Product/substance  | 2-phenoxyethanol |
| Species:           | Rabbit           |
| Route of exposure: | Dermal           |
| Result:            | >5000 mg/kg      |

|                    |                     |
|--------------------|---------------------|
| Product/substance  | 2-phenoxyethanol    |
| Species:           | Rabbit, male/female |
| Route of exposure: | Dermal              |
| Test:              | LD50                |
| Result:            | >2214 mg/kg         |

|                    |                              |
|--------------------|------------------------------|
| Product/substance  | 1,2-benzisothiazol-3(2H)-one |
| Species:           | Rat                          |
| Route of exposure: | Oral                         |
| Test:              | LD50                         |
| Result:            | 500 mg/kg                    |

|                    |                              |
|--------------------|------------------------------|
| Product/substance  | 1,2-benzisothiazol-3(2H)-one |
| Species:           | Rat                          |
| Route of exposure: | Oral                         |
| Test:              | LD50                         |
| Result:            | >300 -2000 mg/kg             |

|                   |                              |
|-------------------|------------------------------|
| Product/substance | 1,2-benzisothiazol-3(2H)-one |
|-------------------|------------------------------|

Result: 300,03 mg/kg

Based on available data, the classification criteria are not met.

**▼ Skin corrosion/irritation**

Product/substance 2-phenoxyethanol  
Result: Adverse effect observed (Corrosive)

---

Product/substance 2-phenoxyethanol  
Test method: OECD 404  
Species: Rabbit  
Duration: 4 hours  
Result: No adverse effect observed (Not irritating)

---

Product/substance 1,2-benzisothiazol-3(2H)-one  
Test method: OECD 404  
Result: Adverse effect observed (Irritating)

---

Product/substance 1,2-benzisothiazol-3(2H)-one  
Species: Guinea pig  
Result: Adverse effect observed (Highly irritating)

Based on available data, the classification criteria are not met.

**▼ Serious eye damage/irritation**

Product/substance 2-phenoxyethanol  
Result: Adverse effect observed (Causes serious eye damage)

---

Product/substance 2-phenoxyethanol  
Test method: OECD 405  
Species: Rabbit  
Duration: 15 days  
Result: Adverse effect observed (Causes serious eye damage)

---

Product/substance 1,2-benzisothiazol-3(2H)-one  
Test method: OECD 405  
Result: Adverse effect observed (Causes serious eye damage)

Based on available data, the classification criteria are not met.

**Respiratory sensitisation**

Product/substance 2-phenoxyethanol  
Result: Adverse effect observed (sensitising)

Based on available data, the classification criteria are not met.

**Skin sensitisation**

Product/substance 2-phenoxyethanol  
Test method: OECD 406  
Species: Guinea pig  
Result: No adverse effect observed (not sensitising)

---

Product/substance 1,2-benzisothiazol-3(2H)-one  
Test method: OECD 429  
Species: Mouse  
Result: Adverse effect observed (sensitising)

---

Product/substance 1,2-benzisothiazol-3(2H)-one  
Test method: OECD 406

Species: Guinea pig  
Result: Adverse effect observed (sensitising)

Based on available data, the classification criteria are not met.

#### **Germ cell mutagenicity**

Product/substance 2-phenoxyethanol  
Test method: OECD 471  
Species: S. typhimurium  
Description: 20-5000  
Conclusion: No adverse effect observed

Based on available data, the classification criteria are not met.

#### **Carcinogenicity**

Based on available data, the classification criteria are not met.

#### **▼ Reproductive toxicity**

Product/substance 2-phenoxyethanol  
Species: Mouse, male/female  
Result: 1875 mg/kg bw

Based on available data, the classification criteria are not met.

#### **STOT-single exposure**

Based on available data, the classification criteria are not met.

#### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

#### **Aspiration hazard**

Based on available data, the classification criteria are not met.

#### **Symptoms related to the physical, chemical and toxicological characteristics**

None known.

### **11.2. Information on other hazards**

#### **Endocrine disrupting properties**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

#### **Other information**

None known.

## **SECTION 12: ECOLOGICAL INFORMATION**

### **12.1. ▼ Toxicity**

Product/substance 2-phenoxyethanol  
Species: Fish  
Duration: 96 hours  
Test: LC50  
Result: >100 mg/L

Product/substance 2-phenoxyethanol  
Species: Algae  
Duration: 72 hours  
Test: ErC50  
Result: >100 mg/L

Product/substance 2-phenoxyethanol  
Species: Daphnia magna

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

|                   |                                       |
|-------------------|---------------------------------------|
| Duration:         | 48 hours                              |
| Test:             | EC50                                  |
| Result:           | >100 mg/L                             |
| Product/substance | 2-phenoxyethanol                      |
| Species:          | Fish                                  |
| Test:             | NOEC                                  |
| Result:           | 23 mg/L                               |
| Product/substance | 2-phenoxyethanol                      |
| Species:          | Andere waterorganismen                |
| Duration:         | 30 minutes                            |
| Test:             | EC50                                  |
| Result:           | >1000 mg/L                            |
| Product/substance | 2-phenoxyethanol                      |
| Species:          | Fish, Pimephales promelas             |
| Duration:         | 96 hours                              |
| Result:           | 344 mg/L                              |
| Product/substance | 2-phenoxyethanol                      |
| Test method:      | OECD 202                              |
| Species:          | Daphnia, Daphnia magna                |
| Duration:         | 48 hours                              |
| Result:           | >500 mg/L                             |
| Product/substance | 2-phenoxyethanol                      |
| Test method:      | Richtlijn 67/548/EEG, Bijlage V, C.1. |
| Species:          | Algae, Desmodesmus subspicatus        |
| Duration:         | 72 hours                              |
| Result:           | 625 mg/L                              |
| Product/substance | 2-phenoxyethanol                      |
| Test method:      | OECD 211                              |
| Species:          | Daphnia, Daphnia magna                |
| Test:             | NOEC                                  |
| Result:           | 9,43 mg/L                             |
| Product/substance | 2-phenoxyethanol                      |
| Species:          | Algae                                 |
| Test:             | EC50                                  |
| Result:           | 107 mg/kg                             |
| Product/substance | 2-phenoxyethanol                      |
| Test:             | EC50                                  |
| Result:           | 37 mg/kg                              |
| Product/substance | 1,2-benzisothiazol-3(2H)-one          |
| Species:          | Fish                                  |
| Duration:         | 96 hours                              |
| Test:             | LC50                                  |
| Result:           | >0.1-1 mg/L                           |
| Product/substance | 1,2-benzisothiazol-3(2H)-one          |
| Species:          | Crustacean                            |

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Duration: 48 hours  
Test: EC50  
Result: >0.1-1 mg/L

Product/substance 1,2-benzisothiazol-3(2H)-one  
Species: Algae  
Duration: 72 hours  
Test: EC50  
Result: >0.1-1 mg/L

Product/substance 1,2-benzisothiazol-3(2H)-one  
Test method: OECD 202  
Species: Daphnia, Daphnia magna  
Duration: 48 hours  
Result: 2,9 mg/L

Product/substance 1,2-benzisothiazol-3(2H)-one  
Test method: OECD 201  
Species: Algae, Pseudokirchneriella subcapitata  
Compartment: Water  
Duration: 72 hours  
Test: ErC50  
Result: 0,11 mg/L

Product/substance 1,2-benzisothiazol-3(2H)-one  
Test method: OECD 201  
Species: Algae, Pseudokirchneriella subcapitata  
Duration: 72 hours  
Test: NOEC  
Result: 0,0403 mg/L

Based on available data, the classification criteria are not met.

### 12.2. ▼ Persistence and degradability

Product/substance 2-phenoxyethanol  
Result: >70 %  
Conclusion: Readily biodegradable  
Test: OECD 301 A

Product/substance 2-phenoxyethanol  
Compartment: Activated Sludge Plant  
Duration: 28 days  
Result: 90 %  
Conclusion: Readily biodegradable  
Test: OECD 301 F

Product/substance 2-phenoxyethanol  
Compartment: Activated Sludge Plant  
Result: > 90 %  
Conclusion: Readily biodegradable

Product/substance 1,2-benzisothiazol-3(2H)-one  
Result: 90%  
Conclusion: Readily biodegradable  
Test: OECD 302

### 12.3. ▼ Bioaccumulative potential

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Product/substance 2-phenoxyethanol  
BCF: 0.349  
LogKow: 1.2  
Conclusion: -

Product/substance 1,2-benzisothiazol-3(2H)-one  
BCF: 2  
LogKow: 1.45  
Conclusion: Potential for bioaccumulation is low

Product/substance 1,2-benzisothiazol-3(2H)-one  
LogKow: 0,7  
Conclusion: -

#### 12.4. Mobility in soil

No data available.

#### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

#### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

#### 12.7. Other adverse effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

#### Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

#### EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

#### Specific labelling

#### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: TRANSPORT INFORMATION

|                 | 14.1<br>UN / ID | 14.2<br>UN proper shipping name | 14.3<br>Hazard class(es) | 14.4<br>PG* | 14.5<br>Env** | Other information: |
|-----------------|-----------------|---------------------------------|--------------------------|-------------|---------------|--------------------|
| ADR/A<br>DN/RID | -               | -                               | -                        | -           | -             | -                  |
| IMDG            | -               | -                               | -                        | -           | -             | -                  |
| IATA            | -               | -                               | -                        | -           | -             | -                  |

\* Packing group

\*\* Environmental hazards

#### Additional information

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

#### 14.6. Special precautions for user

Not applicable.

#### **14.7. Maritime transport in bulk according to IMO instruments**

No data available.

## **SECTION 15: REGULATORY INFORMATION**

### **15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture**

*Restrictions for application:*

Restricted to professional users.

*Demands for specific education:*

No specific requirements.

*Control of Major Accident Hazards (COMAH) - Categories / dangerous substances:*

Not applicable.

*Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:*

≥5% - <15%

· Non-ionic surfactants

< 5%

· Anionic surfactants

· Perfumes

· Preservation agent (PHENOXYETHANOL)

· Preservation agent (BENZISOTHIAZOLINONE)

*Additional information:*

Not applicable.

*Sources:*

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

### **15.2. Chemical safety assessment**

No

## **SECTION 16: OTHER INFORMATION**

### **Full text of H-phrases as mentioned in section 3**

H302, Harmful if swallowed.

H315, Causes skin irritation.

H317, May cause an allergic skin reaction.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H330, Fatal if inhaled.

H335, May cause respiratory irritation.

H400, Very toxic to aquatic life.

H410, Very toxic to aquatic life with long lasting effects.

H411, Toxic to aquatic life with long lasting effects.

H412, Harmful to aquatic life with long lasting effects.

### **Abbreviations and acronyms**

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway  
ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road  
ATE = Acute Toxicity Estimate  
BCF = Bioconcentration Factor  
CAS = Chemical Abstracts Service  
CE = Conformité Européenne (European conformity)  
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]  
CSA = Chemical Safety Assessment  
CSR = Chemical Safety Report  
DMEL = Derived Minimal Effect Level  
DNEL = Derived No Effect Level  
EC = Effective concentration  
ED = Effective dose  
EINECS = European Inventory of Existing Commercial chemical Substances  
EL = Effective Loading  
ErC = Concentration associated with x% growth rate response  
ES = Exposure Scenario  
EUH statement = CLP-specific Hazard statement  
EuPCS = European Product Categorisation System  
EWC = European Waste Catalogue  
GHS = Globally Harmonized System of Classification and Labelling of Chemicals  
GWP = Global warming potential  
HP = Hazardous Property code  
IARC = International Agency for Research on Cancer (IARC)  
IATA = International Air Transport Association  
IBC = Intermediate Bulk Container  
IC = X maximum inhibitory concentration  
IMDG = International Maritime Dangerous Goods  
LC = Lethal concentration  
LCLo = Value is the lowest concentration of a material in air reported to have caused the death of animals or humans  
LD = Lethal dose  
LOAEC = Lowest Observed Adverse Effect Concentration  
LOAEL = Lowest Observed Adverse Effect Level  
LOEC = Lowest Observed Effect Concentration  
LogKow = logarithm of the n-octanol/water coefficient  
LL = Lethal Loading  
M = For multiplication factor  
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NOAEC = No Observed Adverse Effect Concentration  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
NOELR = No Observable Effect Loading Rate  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

**Additional information**

Not applicable.

**The safety data sheet is validated by**

Quality & Compliance

**Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en