

SAFETY DATA SHEET

iP.10 easydose

SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

1.1. Product identifier

▼ *Trade name:*
iP.10 easydose

1.2. Relevant identified uses of the substance or mixture and uses advised against

▼ *Relevant identified uses of the substance or mixture:*
Cosmetic product
Restricted to professional and industrial use.

Uses advised against :
None known.

1.3. Details of the supplier of the safety data sheet

▼ *Company and address:*
i-team UK
The Alima Centre, 35 Sefton St
L8 5SL Toxteth, Liverpool
United Kingdom
+44 1945 595177

E-mail:
info@hygeniq.com

Revision:
23/03/2026

SDS Version:
3.0

Date of previous version:
21/08/2025 (2.0)

1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

SECTION 2: HAZARDS IDENTIFICATION

2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

2.2. Label elements

Hazard pictogram(s):

Not applicable.

Signal word:

Not applicable.

Hazard statement(s):

Not applicable.

Precautionary statement(s):

General:

Not applicable.

Prevention:

Not applicable.

Response:

Not applicable.

Storage:

Not applicable.

Disposal:

Not applicable.

Hazardous substances:

Contains no substances that need to be listed on the label.

▼ *Additional labelling:*

2.3. Other hazards

Additional warnings:

Cosmetic products are exempt classification rules, but must comply with the cosmetics legislation.

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

3.1. Substances

Not applicable. This product is a mixture.

3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Alcohols, C12-14, ethoxylated, sulfates, sodium salts	CAS No.: 68891-38-3 EC No.: 500-234-8 UK-REACH: Index No.:	1-3%	Skin Irrit. 2, H315 Eye Dam. 1, H318 (C ≥ 10.0%) Eye Irrit. 2, H319 (5.0% ≤ C < 10.0%)	[19]
Dodecyl(2-hydroxy-3-sulphonatopropyl)dimethylammonium	CAS No.: 13197-76-7 EC No.: 236-164-7 UK-REACH: Index No.:	<1%	Eye Dam. 1, H318 Aquatic Chronic 3, H412	
Sodium benzoate	CAS No.: 532-32-1 EC No.: 208-534-8 UK-REACH:	<1%	Eye Irrit. 2, H319	

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

	Index No.:			
3-C12-18-(even numbered)-alkylamido-N,N-dimethylpropan-1-amino oxide	CAS No.: 1471314-81-4 EC No.: 939-581-9 UK-REACH: Index No.:	<0.25%	Acute Tox. 4, H302 Skin Irrit. 2, H315 Eye Dam. 1, H318 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 3, H412	
Lanolin, ethoxylated	CAS No.: 61790-81-6 EC No.: 612-384-2 UK-REACH: Index No.:	<0.1%		
L-(+)-lactic acid; (2S)-2-hydroxypropanoic acid	CAS No.: 79-33-4 EC No.: 201-196-2 UK-REACH: Index No.: 607-743-00-5	<0.1%	EUH071 Skin Corr. 1C, H314 Eye Dam. 1, H318	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

Other information

[19] UVCB = Unknown or variable composition, complex reaction products or of biological materials

SECTION 4: FIRST AID MEASURES

4.1. Description of first aid measures

General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

Skin contact:

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

Eye contact:

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

Ingestion:

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

Burns:

Not applicable.

4.2. Most important symptoms and effects, both acute and delayed

None known.

4.3. Indication of any immediate medical attention and special treatment needed

Treat symptomatically.

Information to medics

Bring this safety data sheet or the label from this product.

SECTION 5: FIREFIGHTING MEASURES

5.1. Extinguishing media

Not applicable.

5.2. Special hazards arising from the substance or mixture

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

5.3. Advice for firefighters

No specific requirements.

SECTION 6: ACCIDENTAL RELEASE MEASURES

6.1. Personal precautions, protective equipment and emergency procedures

Contaminated areas may be slippery.

6.2. Environmental precautions

Avoid discharge to lakes, streams, sewers, etc.
Keep unauthorized persons away from the spill

6.3. Methods and material for containment and cleaning up

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.
Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.
See section 8 "Exposure controls/personal protection" for protective measures.

SECTION 7: HANDLING AND STORAGE

7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.
See section 8 "Exposure controls/personal protection" for information on personal protection.

7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

Recommended storage material:

Keep only in original packaging.

Storage conditions:

No specific requirements.

Incompatible materials:

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

8.1. ▼ Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

▼ DNEL

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	79 µg/cm ²
Long term – Local effects - General population	Dermal	79 µg/cm ²
Long term – Local effects - Workers	Dermal	132 µg/cm ²
Long term – Local effects - Workers	Dermal	132 µg/cm ²
Long term – Systemic effects - General population	Dermal	2,500 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	1650 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	5,830 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	2750 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	87.1 mg/m ³
Long term – Systemic effects - General population	Inhalation	52 mg/m ³
Long term – Systemic effects - Workers	Inhalation	411 mg/m ³
Long term – Systemic effects - Workers	Inhalation	175 mg/m ³
Long term – Systemic effects - General population	Oral	25 mg/kg bw/day
Long term – Systemic effects - General population	Oral	15 mg/kg bw/day
	Via the eye	
Short term – Local effects - General population	Via the eye	

Sodium benzoate

Duration:	Route of exposure:	DNEL:
Long term – Local effects - General population	Dermal	2,7 mg/cm ²
Long term – Local effects - Workers	Dermal	4,5 mg/cm ²
Long term – Systemic effects - General population	Dermal	20,8 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	31.25 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	34,7 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	62.5 mg/kg bw/day
Long term – Local effects - General population	Inhalation	1,3 mg/m ³
Long term – Local effects - General population	Inhalation	0.06 mg/m ³
Long term – Local effects - Workers	Inhalation	6,3 mg/m ³
Long term – Local effects - Workers	Inhalation	0.1 mg/m ³
Long term – Systemic effects - General population	Inhalation	2,1 mg/m ³
Long term – Systemic effects - General population	Inhalation	1.5 mg/m ³
Long term – Systemic effects - Workers	Inhalation	10,4 mg/m ³
Long term – Systemic effects - Workers	Inhalation	3 mg/m ³
Long term – Systemic effects - General population	Oral	25 mg/kg bw/day

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Long term – Systemic effects - General population	Oral	16.6 mg/kg bw/day
---	------	-------------------

▼ PNEC

Alcohols, C12-14, ethoxylated, sulfates, sodium salts

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0.129 mg/L
Freshwater		0.24 mg/L
Freshwater sediment		4.835 mg/kg
Freshwater sediment		0.917 mg/kg
Freshwater sediment		5.45 mg/kg TG
Intermittent release (freshwater)		0.71 mg/L
Intermittent release (marine water)		0.071 mg/L
Marine water		0.013 mg/L
Marine water		0.024 mg/L
Marine water		0.0129 mg/L
Marine water sediment		0.483 mg/kg
Marine water sediment		0.092 mg/kg
Marine water sediment		0.545 mg/kg TG
Sewage treatment plant		10 g/L
Sewage treatment plant		10 g/L
Soil		7.5 mg/kg
Soil		7.5 mg/kg
Soil		0.946 mg/kg TG

Sodium benzoate

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0.581 mg/L
Freshwater		0.13 mg/kg
Freshwater sediment		2.5 mg/kg
Freshwater sediment		1.76 mg/kg
Intermittent release (freshwater)		0.058 mg/L
Intermittent release (marine water)		0.006 µg/L
Marine water		0.058 mg/L
Marine water		0.013 mg/L
Marine water sediment		0.25 mg/kg
Marine water sediment		0.176 mg/kg
Predators		300 mg/kg
Sewage treatment plant		10 mg/L
Soil		0.159 mg/kg
Soil		0.06 mg/kg

8.2. ▼ Exposure controls

Apply general control to prevent unnecessary exposure

General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

Exposure scenarios:

There are no exposure scenarios implemented for this product.

▼ *Exposure limits:*

Occupational exposure limits have not been defined for the substances in this product.

▼ *Appropriate technical measures:*

Apply standard precautions during use of the product. Avoid inhalation of vapours.

Hygiene measures:

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

Measures to avoid environmental exposure:

No specific requirements.

Individual protection measures, such as personal protective equipment

Generally:

Use only UKCA marked protective equipment.

Respiratory Equipment:

Type	Class	Colour	Standards	
No special when used as intended.				

Skin protection:

Recommended	Type/Category	Standards	
No special when used as intended.	-	-	

Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
No special when used as intended	-	-	-	

Eye protection:

Type	Standards	
No special when used as intended.	-	

SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

9.1. Information on basic physical and chemical properties

Physical state:

Liquid

Colour:

Colourless

Odour / Odour threshold:

Of perfume

pH:

ca. 5.8

Density (g/cm³):

1.01 (20 °C)

Kinematic viscosity:

No data available.

Particle characteristics:

Does not apply to liquids.

Phase changes

Melting point/Freezing point (°C):

No data available.

Softening point/range (°C):

Does not apply to liquids.

Boiling point (°C):

No data available.

Vapour pressure:

No data available.

Relative vapour density:

No data available.

Decomposition temperature (°C):

No data available.

Data on fire and explosion hazards

Flash point (°C):

No data available.

Flammability (°C):

No data available.

Auto-ignition temperature (°C):

No data available.

Lower and upper explosion limit (% v/v):

No data available.

Solubility

Solubility in water:

Completely soluble

n-octanol/water coefficient (LogKow):

No data available.

Solubility in fat (g/L):

No data available.

9.2. Other information

Oxidizing properties:

No data available.

Other physical and chemical parameters:

No data available.

SECTION 10: STABILITY AND REACTIVITY

10.1. Reactivity

No data available.

10.2. Chemical stability

The product is stable under the conditions, noted in section 7 "Handling and storage".

10.3. Possibility of hazardous reactions

None known.

10.4. Conditions to avoid

None known.

10.5. Incompatible materials

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

10.6. Hazardous decomposition products

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

SECTION 11: TOXICOLOGICAL INFORMATION

11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

▼ Acute toxicity

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 401
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>2000 mg/kg

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 402
Species:	Rat
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Rat, male/female
Route of exposure:	Oral
Test:	LD50
Result:	4100 mg/kg

Product/substance	Sodium benzoate
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	3450 mg/kg

Product/substance	Sodium benzoate
Species:	Rabbit
Route of exposure:	Dermal
Test:	LD50
Result:	>2000 mg/kg

Product/substance	Sodium benzoate
Species:	Rat
Route of exposure:	Inhalation
Test:	LC50 (4 hours)

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Result: > 12200 mg/m³

Based on available data, the classification criteria are not met.

▼ Skin corrosion/irritation

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 404
Species:	Rabbit
Result:	Adverse effect observed (Irritating)

Product/substance	Sodium benzoate
Result:	No adverse effect observed (Not irritating)

Based on available data, the classification criteria are not met.

▼ Serious eye damage/irritation

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 405
Species:	Rabbit
Result:	Adverse effect observed (Causes serious eye damage)

Product/substance	Sodium benzoate
Result:	Adverse effect observed (Irritating)

Based on available data, the classification criteria are not met.

▼ Respiratory sensitisation

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 406
Species:	Rabbit
Result:	No adverse effect observed (not sensitising)

Product/substance	Sodium benzoate
Result:	No adverse effect observed (not sensitising)

Based on available data, the classification criteria are not met.

Skin sensitisation

Based on available data, the classification criteria are not met.

Germ cell mutagenicity

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 471
Species:	Bacteria
Conclusion:	No adverse effect observed

Based on available data, the classification criteria are not met.

Carcinogenicity

Based on available data, the classification criteria are not met.

Reproductive toxicity

Based on available data, the classification criteria are not met.

STOT-single exposure

Based on available data, the classification criteria are not met.

STOT-repeated exposure

Based on available data, the classification criteria are not met.

Aspiration hazard

Based on available data, the classification criteria are not met.

▼ Symptoms related to the physical, chemical and toxicological characteristics

None known.

11.2. Information on other hazards

Endocrine disrupting properties

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

Other information

None known.

SECTION 12: ECOLOGICAL INFORMATION

12.1. ▼ Toxicity

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
-------------------	---

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 201
Species:	Algae
Duration:	72 hours
Test:	NOEC
Result:	0.95 mg/L

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 203
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	7.1 mg/L

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 202
Species:	Daphnia
Duration:	48 hours
Test:	EC50
Result:	7.4 mg/L

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 201
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	27.7 mg/L

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 203
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>1 mg/L

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
-------------------	---

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Test method:	DIN 38412
Species:	Andere waterorganismen, <i>Pseudomonas putida</i>
Duration:	16 hours
Test:	EC50
Result:	> 10000 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 204
Species:	Fish, <i>Oncorhynchus mykiss</i>
Duration:	28 days
Test:	NOEC
Result:	0,2 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 201
Species:	Algae, <i>Desmodesmus subspicatus</i>
Duration:	72 hours
Test:	NOEC
Result:	0,95 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 201
Species:	Algae, <i>Pseudokirchneriella subcapitata</i>
Duration:	72 hours
Test:	EC50
Result:	4,4 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 210
Species:	Fish, <i>Pimephales promelas</i>
Duration:	28 days
Test:	EC10
Result:	1,7 mg/L
Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Test method:	OECD 211
Species:	Daphnia, <i>Daphnia magna</i>
Compartment:	Water
Duration:	21 days
Test:	NOEC
Result:	>1,19 mg/L
Product/substance	Sodium benzoate
Test method:	OECD 203
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	100 mg/L
Product/substance	Sodium benzoate
Test method:	OECD 202
Species:	Crustacean, <i>Daphnia magna</i>
Duration:	48 hours
Test:	EC50
Result:	>100 mg/L

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Product/substance	Sodium benzoate
Species:	Bacteria, Achromobacter sp.
Duration:	24 hours
Test:	EC50
Result:	>100 mg/L

Product/substance	Sodium benzoate
Test method:	OECD 211
Species:	Crustacean, Daphnia magna
Duration:	21 days
Test:	NOEC
Result:	51 mg/L

Product/substance	Sodium benzoate
Test method:	OECD 201
Species:	Algae
Duration:	72 hours
Test:	ErC50
Result:	>100 mg/L

Product/substance	Sodium benzoate
Species:	Fish, Pimephales promelas
Duration:	96 hours
Test:	LC50
Result:	484 mg/L

Product/substance	Sodium benzoate
Species:	Fish, Brachydanio rerio
Test:	NOEC
Result:	10 mg/L

Product/substance	Sodium benzoate
Species:	Fish, Brachydanio rerio
Test:	LOEC
Result:	100 mg/L

Product/substance	Sodium benzoate
Test method:	OECD 201
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	72 hours
Test:	ErC50
Result:	6.5 mg/L

Based on available data, the classification criteria are not met.

12.2. ▼ Persistence and degradability

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Duration:	14 days
Result:	100 %
Conclusion:	Readily biodegradable
Test:	OECD 301 B

Product/substance	Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Duration:	28 days
Result:	77 %
Conclusion:	Readily biodegradable

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Test: OECD 301 D

Product/substance: Alcohols, C12-14, ethoxylated, sulfates, sodium salts
Duration: 28 days
Result: 100 %
Conclusion: Readily biodegradable
Test: OECD 301 A

Product/substance: Sodium benzoate
Conclusion: Readily biodegradable

12.3. ▼ Bioaccumulative potential

Product/substance: Sodium benzoate
LogKow: -2,27
Conclusion: -

12.4. Mobility in soil

No data available.

12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

12.7. Other adverse effects

This product contains substances that are toxic to the environment. May result in adverse effects to aquatic organisms.

SECTION 13: DISPOSAL CONSIDERATIONS

Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

EWG code

20 01 30 Detergents other than those mentioned in 20 01 29

Specific labelling

Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR/A DN/RID	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

* Packing group

** Environmental hazards

▼ **Additional information**

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

14.6. Special precautions for user

Not applicable.

14.7. Maritime transport in bulk according to IMO instruments

No data available.

SECTION 15: REGULATORY INFORMATION

15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

Restrictions for application:

Restricted to professional users.

Demands for specific education:

No specific requirements.

Control of Major Accident Hazards (COMAH) - Categories / dangerous substances:

Not applicable.

▼ *Ingredients. Labelling of contents according to Regulation 1223/2009 on cosmetic products as retained and amended in UK law:*

AQUA (SOLVENTS), GLYCERIN (HUMECTANTS), PARFUM

Additional information:

Not applicable.

Sources:

Regulation (EC) No 1223/2009 of the European Parliament and of the Council of 30 November 2009 on cosmetic products.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

15.2. Chemical safety assessment

No

SECTION 16: OTHER INFORMATION

▼ **Full text of H-phrases as mentioned in section 3**

H302, Corrosive to the respiratory tract.

H302, Harmful if swallowed.

H314, Causes severe skin burns and eye damage.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H400, Very toxic to aquatic life.

H412, Harmful to aquatic life with long lasting effects.

▼ **Abbreviations and acronyms**

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service
CE = Conformité Européenne (European conformity)
CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
CSA = Chemical Safety Assessment
CSR = Chemical Safety Report
DMEL = Derived Minimal Effect Level
DNEL = Derived No Effect Level
EC = Effective concentration
ED = Effective dose
EINECS = European Inventory of Existing Commercial chemical Substances
EL = Effective Loading
ErC = Concentration associated with x% growth rate response
ES = Exposure Scenario
EUH statement = CLP-specific Hazard statement
EuPCS = European Product Categorisation System
EWC = European Waste Catalogue
GHS = Globally Harmonized System of Classification and Labelling of Chemicals
GWP = Global warming potential
HP = Hazardous Property code
IARC = International Agency for Research on Cancer (IARC)
IATA = International Air Transport Association
IBC = Intermediate Bulk Container
IC = X maximum inhibitory concentration
IMDG = International Maritime Dangerous Goods
LC = Lethal concentration
LCLo = Value is the lowest concentration of a material in air reported to have caused the death of animals or humans
LD = Lethal dose
LOAEC = Lowest Observed Adverse Effect Concentration
LOAEL = Lowest Observed Adverse Effect Level
LOEC = Lowest Observed Effect Concentration
LogKow = logarithm of the n-octanol/water coefficient
LL = Lethal Loading
M = For multiplication factor
MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)
NOAEC = No Observed Adverse Effect Concentration
NOAEL = No Observed Adverse Effect Level
NOEC = No Observed Effect Concentration
NOELR = No Observable Effect Loading Rate
OECD = Organisation for Economic Co-operation and Development
PBT = Persistent, Bioaccumulative and Toxic
PNEC = Predicted No Effect Concentration
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail
RRN = REACH Registration Number
SCL = A specific concentration limit
SVHC = Substances of Very High Concern
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure
STOT-SE = Specific Target Organ Toxicity - Single Exposure
TWA = Time weighted average
UN = United Nations
UVBC = Unknown or variable composition, complex reaction products or of biological materials
VOC = Volatile Organic Compound
vPvB = Very Persistent and Very Bioaccumulative

Additional information

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

The safety data sheet is validated by

Quality & Compliance

Other

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en