

## SAFETY DATA SHEET

# i.7 autodose ultra

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

▼ *Trade name:*  
i.7 autodose ultra

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:*  
Washing and cleaning products (including solvent based products)  
Restricted to professional and industrial use.

*Uses advised against :*  
None known.

### 1.3. Details of the supplier of the safety data sheet

▼ *Company and address:*  
**i-team UK**  
The Alima Centre, 35 Sefton St  
L8 5SL Toxteth, Liverpool  
United Kingdom  
+44 1945 595177

*E-mail:*  
info@hygeniq.com

*Revision:*  
19/03/2026

*SDS Version:*  
7.0

*Date of previous version:*  
05/03/2026 (6.0)

### 1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.2. Label elements

*Hazard pictogram(s):*

Not applicable.

*Signal word:*

Not applicable.

*Hazard statement(s):*

Not applicable.

*Precautionary statement(s):*

*General:*

Not applicable.

*Prevention:*

Not applicable.

*Response:*

Not applicable.

*Storage:*

Not applicable.

*Disposal:*

Not applicable.

*Hazardous substances:*

Contains no substances that need to be listed on the label.

*Additional labelling:*

EUH210, Safety data sheet available on request.

*Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:*

≥5% - <15%

- Non-ionic surfactants

< 5%

- Perfumes

- Preservation agent (PHENOXYETHANOL)

- Preservation agent (BENZISOTHIAZOLINONE)

## 2.3. Other hazards

*Additional warnings:*

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Glycerides, coco mono- and di-, ethoxylated	CAS No.: 68201-46-7 EC No.: 614-376-4 UK-REACH: Index No.:	5-10%		

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Oleic acid monoethanolamide, ethoxylated	CAS No.: 26027-37-2 EC No.: 607-851-2 UK-REACH: Index No.:	1-3%	Eye Irrit. 2, H319	
2-phenoxyethanol	CAS No.: 122-99-6 EC No.: 204-589-7 UK-REACH: Index No.: 603-098-00-9	<1%	Acute Tox. 4, H302 (ATE: 1394.00 mg/kg) Eye Dam. 1, H318 STOT SE 3, H335	
1,1'-Oxybis(2-propanol)	CAS No.: 25265-71-8 EC No.: 246-770-3 UK-REACH: Index No.: Master No. M-102	<0.25%		
2-phenylethanol	CAS No.: 60-12-8 EC No.: 200-456-2 UK-REACH: Index No.:	<0.05%	Acute Tox. 4, H302 Eye Irrit. 2, H319	
3a,4,5,6,7,7a-hexahydro-4,7-methanoinden-6-yl acetate	CAS No.: 5413-60-5 EC No.: 226-501-6 UK-REACH: Index No.:	<0.05%	Aquatic Chronic 1, H410 (M=1)	
4-(5,5,6-trimethylbicyclo[2.2.1]hept-2-yl)cyclohexan-1-ol	CAS No.: 66068-84-6 EC No.: 266-100-3 UK-REACH: Index No.:	<0.05%	Aquatic Acute 1, H400 (M=1) Aquatic Chronic 2, H411	
3,7-dimethylnona-2,6-dienitrile	CAS No.: 61792-11-8 EC No.: 263-214-5 UK-REACH: Index No.:	<0.05%	Aquatic Chronic 2, H411	
sodium hydroxide caustic soda	CAS No.: 1310-73-2 EC No.: 215-185-5 UK-REACH: Index No.: 011-002-00-6	<0.01%	Skin Corr. 1A, H314 (C ≥ 5%) Skin Corr. 1B, H314 (2% ≤ C < 5%) Skin Irrit. 2, H315 (0.5% ≤ C < 2%) Eye Irrit. 2, H319 (0.5% ≤ C < 2%)	
Allyl (3-methylbutoxy)acetate	CAS No.: 67634-00-8 EC No.: 266-803-5 UK-REACH: Index No.:	<0.01%	Acute Tox. 4, H302 Acute Tox. 2, H330 Aquatic Acute 1, H400 (M=1) Aquatic Chronic 1, H410 (M=1)	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

-

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet.

Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

**Inhalation:**

In case of discomfort: bring the person into fresh air.

**Skin contact:**

Upon irritation: rinse with water. In the event of continued irritation, seek medical assistance.

**Eye contact:**

Rinse gently with lukewarm water. Remove any contact lenses if this is easy to do. Continue rinsing. In case of persistent eye irritation or discomfort: Seek medical help.

**Ingestion:**

Rinse and flush mouth thoroughly and consume large quantities of water. In case of continued discomfort: seek medical assistance and bring this safety data sheet.

**Burns:**

Not applicable.

**4.2. Most important symptoms and effects, both acute and delayed**

None known.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**Information to medics**

Bring this safety data sheet or the label from this product.

## SECTION 5: FIREFIGHTING MEASURES

**5.1. Extinguishing media**

Not applicable.

**5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Nitrogen oxides (NO<sub>x</sub>)

Carbon oxides (CO / CO<sub>2</sub>)

**5.3. Advice for firefighters**

No specific requirements.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1. Personal precautions, protective equipment and emergency procedures**

Contaminated areas may be slippery.

**6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

#### 6.4. Reference to other sections

See section 13 "Disposal considerations" on handling of waste.  
See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: HANDLING AND STORAGE

#### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.  
See section 8 "Exposure controls/personal protection" for information on personal protection.

#### 7.2. Conditions for safe storage, including any incompatibilities

*Recommended storage material:*

Keep only in original packaging.

*Storage conditions:*

Dry, cool and well ventilated

*Incompatible materials:*

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

#### 8.1. Control parameters

No substances are listed in the national list of substances with an occupational exposure limit.

##### ▼ DNEL

1,2-benzisothiazol-3(2H)-one

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects - General population	Dermal	0.345 mg/kg
Long term – Systemic effects - General population	Dermal	0.345 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	0.966 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	1.2 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Inhalation	1.2 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	6.81 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	0.5 mg/L
Long term – Systemic effects - General population	Oral	1.2 mg/kg bw/day

2-phenoxyethanol

Duration:	Route of exposure:	DNEL:
Long term – Systemic effects	Dermal	10,42 mg/kg bw/day
Long term – Systemic effects - General population	Dermal	20,83 mg/kg bw/day
Long term – Systemic effects - Workers	Dermal	34.72 mg/kg bw/day
Long term – Local effects - Workers	Inhalation	5,7 mg/m <sup>3</sup>
Long term – Local effects - Workers	Inhalation	8,07 mg/m <sup>3</sup>
Long term – Systemic effects	Inhalation	2,41 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	5,7 mg/m <sup>3</sup>

Long term – Systemic effects - Workers	Inhalation	8,07 mg/m <sup>3</sup>
Long term – Local effects - General population	Oral	9,32 mg/kg bw/day
Short term – Systemic effects	Oral	9,23 mg/kg bw/day

▼ **PNEC**

1,2-benzisothiazol-3(2H)-one

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		4,03 µg/L
Freshwater sediment		49,9 µg/kg
Intermittent release (freshwater)		1,1 µg/L
Intermittent release (marine water)		110 ng/L
Marine water		0,403 µg/L
Marine water sediment		4,99 µg/kg
Sewage treatment plant		1,03 mg/L
Soil		3 mg/kg

2-phenoxyethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,943 mg/L
Freshwater sediment		7,2366 mg/kg TG
Intermittent release (freshwater)		3,44 mg/L
Marine water		0,0943 mg/L
Marine water sediment		0,7237 mg/kg
Sewage treatment plant		24,8 mg/L
Sewage treatment plant	Single	36 mg/L
Soil		1,26 mg/kg TG

**8.2. Exposure controls**

Apply general control to prevent unnecessary exposure

*General recommendations:*

Smoking, drinking and consumption of food is not allowed in the work area.

*Exposure scenarios:*

There are no exposure scenarios implemented for this product.

*Exposure limits:*

Occupational exposure limits have not been defined for the substances in this product.

*Appropriate technical measures:*

Apply standard precautions during use of the product. Avoid inhalation of vapours.

*Hygiene measures:*

Wash hands after use.

*Measures to avoid environmental exposure:*

No specific requirements.

**Individual protection measures, such as personal protective equipment**

*Generally:*

Use only UKCA marked protective equipment.


*Respiratory Equipment:*

Type	Class	Colour	Standards	
No special when used as intended.				


*Skin protection:*

Recommended	Type/Category	Standards	
No special when used as intended.	-	-	

*Hand protection:*

Work situation	Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
	No special when used as intended	-	-	-	
In the event of prolonged exposure or high concentrations	Cotton/Latex	-	> 120	EN374-2, EN16523-1, EN388	

*Eye protection:*

Work situation	Type	Standards	
	No special when used as intended.	-	
In the event of prolonged exposure or high concentrations	Safety glasses with side shields.	EN166	

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

*Physical state:*

Liquid

*Colour:*

Colourless

*Odour / Odour threshold:*

Of perfume

*pH:*

8,25

*Density (g/cm<sup>3</sup>):*

1.02 (20 °C)

*Kinematic viscosity:*

No data available.

*Particle characteristics:*

Does not apply to liquids.

### Phase changes

*Melting point/Freezing point (°C):*

No data available.

*Softening point/range (°C):*

Does not apply to liquids.

*Boiling point (°C):*

No data available.

*Vapour pressure:*

No data available.

*Relative vapour density:*

No data available.

*Decomposition temperature (°C):*

No data available.

#### **Data on fire and explosion hazards**

*Flash point (°C):*

No data available.

*Flammability (°C):*

No data available.

*Auto-ignition temperature (°C):*

No data available.

*Lower and upper explosion limit (% v/v):*

No data available.

#### **Solubility**

*Solubility in water:*

Completely soluble

*n-octanol/water coefficient (LogKow):*

No data available.

*Solubility in fat (g/L):*

No data available.

#### **9.2. Other information**

*Oxidizing properties:*

No data available.

*Other physical and chemical parameters:*

ND: 1,358

## **SECTION 10: STABILITY AND REACTIVITY**

#### **10.1. Reactivity**

No data available.

#### **10.2. Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

#### **10.3. Possibility of hazardous reactions**

None known.

#### **10.4. Conditions to avoid**

None known.

#### **10.5. Incompatible materials**

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

#### **10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law

#### ▼ Acute toxicity

Product/substance	Oleic acid monoethanolamide, ethoxylated
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>10.000 mg/kg

Product/substance	2-phenoxyethanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1840 mg/kg

Product/substance	2-phenoxyethanol
Species:	Rabbit
Route of exposure:	Dermal
Result:	>5000 mg/kg

Product/substance	2-phenoxyethanol
Species:	Rabbit, male/female
Route of exposure:	Dermal
Test:	LD50
Result:	>2214 mg/kg

Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	500 mg/kg

Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	>300 -2000 mg/kg

Product/substance	1,2-benzisothiazol-3(2H)-one
Result:	300,03 mg/kg

Based on available data, the classification criteria are not met.

#### ▼ Skin corrosion/irritation

Product/substance	2-phenoxyethanol
Result:	Adverse effect observed (Corrosive)

Product/substance	2-phenoxyethanol
Test method:	OECD 404
Species:	Rabbit
Duration:	4 hours
Result:	No adverse effect observed (Not irritating)

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

---

Product/substance	1,2-benzisothiazol-3(2H)-one
Test method:	OECD 404
Result:	Adverse effect observed (Irritating)

Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Guinea pig
Result:	Adverse effect observed (Highly irritating)

Based on available data, the classification criteria are not met.

#### ▼ Serious eye damage/irritation

Product/substance	2-phenoxyethanol
Result:	Adverse effect observed (Causes serious eye damage)

Product/substance	2-phenoxyethanol
Test method:	OECD 405
Species:	Rabbit
Duration:	15 days
Result:	Adverse effect observed (Causes serious eye damage)

Product/substance	1,2-benzisothiazol-3(2H)-one
Test method:	OECD 405
Result:	Adverse effect observed (Causes serious eye damage)

Based on available data, the classification criteria are not met.

#### Respiratory sensitisation

Product/substance	2-phenoxyethanol
Result:	Adverse effect observed (sensitising)

Based on available data, the classification criteria are not met.

#### ▼ Skin sensitisation

Product/substance	2-phenoxyethanol
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

Product/substance	1,2-benzisothiazol-3(2H)-one
Test method:	OECD 429
Species:	Mouse
Result:	Adverse effect observed (sensitising)

Product/substance	1,2-benzisothiazol-3(2H)-one
Test method:	OECD 406
Species:	Guinea pig
Result:	Adverse effect observed (sensitising)

Based on available data, the classification criteria are not met.

#### Germ cell mutagenicity

Product/substance	2-phenoxyethanol
Test method:	OECD 471
Species:	S. typhimurium
Description:	20-5000
Conclusion:	No adverse effect observed

Based on available data, the classification criteria are not met.

#### Carcinogenicity

Based on available data, the classification criteria are not met.

**Reproductive toxicity**

Product/substance 2-phenoxyethanol  
Species: Mouse, male/female  
Result: 1875 mg/kg bw

Based on available data, the classification criteria are not met.

**STOT-single exposure**

Based on available data, the classification criteria are not met.

**STOT-repeated exposure**

Based on available data, the classification criteria are not met.

**Aspiration hazard**

Based on available data, the classification criteria are not met.

**Symptoms related to the physical, chemical and toxicological characteristics**

None known.

**11.2. Information on other hazards**

**Endocrine disrupting properties**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

**Other information**

None known.

**SECTION 12: ECOLOGICAL INFORMATION**

**12.1. ▼ Toxicity**

Product/substance Oleic acid monoethanolamide, ethoxylated  
Test method: DIN 38412/15  
Species: Fish  
Duration: 48 hours  
Test: LC50  
Result: 325 mg/L

Product/substance Oleic acid monoethanolamide, ethoxylated  
Test method: DIN 38412/11  
Species: Crustacean  
Duration: 24 hours  
Test: EC50/LC50  
Result: 143 mg/L

Product/substance 2-phenoxyethanol  
Species: Fish  
Duration: 96 hours  
Test: LC50  
Result: >100 mg/L

Product/substance 2-phenoxyethanol  
Species: Algae  
Duration: 72 hours  
Test: ErC50  
Result: >100 mg/L

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Product/substance	2-phenoxyethanol
Species:	Daphnia magna
Duration:	48 hours
Test:	EC50
Result:	>100 mg/L
Product/substance	2-phenoxyethanol
Species:	Fish
Test:	NOEC
Result:	23 mg/L
Product/substance	2-phenoxyethanol
Species:	Andere waterorganismen
Duration:	30 minutes
Test:	EC50
Result:	>1000 mg/L
Product/substance	2-phenoxyethanol
Species:	Fish, Pimephales promelas
Duration:	96 hours
Result:	344 mg/L
Product/substance	2-phenoxyethanol
Test method:	OECD 202
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Result:	>500 mg/L
Product/substance	2-phenoxyethanol
Test method:	Richtlijn 67/548/EEG, Bijlage V, C.1.
Species:	Algae, Desmodesmus subspicatus
Duration:	72 hours
Result:	625 mg/L
Product/substance	2-phenoxyethanol
Test method:	OECD 211
Species:	Daphnia, Daphnia magna
Test:	NOEC
Result:	9,43 mg/L
Product/substance	2-phenoxyethanol
Species:	Algae
Test:	EC50
Result:	107 mg/kg
Product/substance	2-phenoxyethanol
Test:	EC50
Result:	37 mg/kg
Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Fish
Duration:	96 hours
Test:	LC50
Result:	>0.1-1 mg/L

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Crustacean
Duration:	48 hours
Test:	EC50
Result:	>0.1-1 mg/L

Product/substance	1,2-benzisothiazol-3(2H)-one
Species:	Algae
Duration:	72 hours
Test:	EC50
Result:	>0.1-1 mg/L

Product/substance	1,2-benzisothiazol-3(2H)-one
Test method:	OECD 202
Species:	Daphnia, Daphnia magna
Duration:	48 hours
Result:	2,9 mg/L

Product/substance	1,2-benzisothiazol-3(2H)-one
Test method:	OECD 201
Species:	Algae, Pseudokirchneriella subcapitata
Compartment:	Water
Duration:	72 hours
Test:	ErC50
Result:	0,11 mg/L

Product/substance	1,2-benzisothiazol-3(2H)-one
Test method:	OECD 201
Species:	Algae, Pseudokirchneriella subcapitata
Duration:	72 hours
Test:	NOEC
Result:	0,0403 mg/L

Based on available data, the classification criteria are not met.

## 12.2. ▼ Persistence and degradability

Product/substance	Oleic acid monoethanolamide, ethoxylated
Result:	>60%
Conclusion:	-
Test:	OECD 301 B

Product/substance	2-phenoxyethanol
Result:	>70 %
Conclusion:	Readily biodegradable
Test:	OECD 301 A

Product/substance	2-phenoxyethanol
Compartment:	Activated Sludge Plant
Duration:	28 days
Result:	90 %
Conclusion:	Readily biodegradable
Test:	OECD 301 F

Product/substance	2-phenoxyethanol
Compartment:	Activated Sludge Plant
Result:	> 90 %

Conclusion: Readily biodegradable

Product/substance 1,2-benzisothiazol-3(2H)-one  
Result: 90%  
Conclusion: Readily biodegradable  
Test: OECD 302

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

### 12.3. ▼ Bioaccumulative potential

Product/substance 2-phenoxyethanol  
BCF: 0.349  
LogKow: 1.2  
Conclusion: -

Product/substance 1,2-benzisothiazol-3(2H)-one  
BCF: 2  
LogKow: 1.45  
Conclusion: Potential for bioaccumulation is low

Product/substance 1,2-benzisothiazol-3(2H)-one  
LogKow: 0,7  
Conclusion: -

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

### 12.7. Other adverse effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

Product is not covered by regulations on dangerous waste.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

### EWC code

20 01 30 Detergents other than those mentioned in 20 01 29

### Specific labelling

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR/A DN/RID	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

**Additional information**

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

**14.6. Special precautions for user**

Not applicable.

**14.7. Maritime transport in bulk according to IMO instruments**

No data available.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

▼ *Restrictions for application:*

Restricted to professional users.

*Demands for specific education:*

No specific requirements.

*Control of Major Accident Hazards (COMAH) - Categories / dangerous substances:*

Not applicable.

*Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:*

≥5% - <15%

· Non-ionic surfactants

< 5%

· Perfumes

· Preservation agent (PHENOXYETHANOL)

· Preservation agent (BENZISOTHIAZOLINONE)

*Additional information:*

The surfactant(s) contained in this preparation complies(comply) with the biodegradability criteria as laid down in Regulation (EC) No 648/2004 on detergents as retained and amended in UK law. Data to support this assertion are held at the disposal of the competent authorities of the Member States and will be made available to them, at their direct request or at the request of a detergent manufacturer.

*Sources:*

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

### 15.2. Chemical safety assessment

No

## SECTION 16: OTHER INFORMATION

### Full text of H-phrases as mentioned in section 3

- H302, Harmful if swallowed.
- H314, Causes severe skin burns and eye damage.
- H315, Causes skin irritation.
- H318, Causes serious eye damage.
- H319, Causes serious eye irritation.
- H330, Fatal if inhaled.
- H335, May cause respiratory irritation.
- H400, Very toxic to aquatic life.
- H410, Very toxic to aquatic life with long lasting effects.
- H411, Toxic to aquatic life with long lasting effects.

### Abbreviations and acronyms

- ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway
- ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road
- ATE = Acute Toxicity Estimate
- BCF = Bioconcentration Factor
- CAS = Chemical Abstracts Service
- CE = Conformité Européenne (European conformity)
- CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]
- CSA = Chemical Safety Assessment
- CSR = Chemical Safety Report
- DMEL = Derived Minimal Effect Level
- DNEL = Derived No Effect Level
- EC = Effective concentration
- ED = Effective dose
- EINECS = European Inventory of Existing Commercial chemical Substances
- EL = Effective Loading
- ErC = Concentration associated with x% growth rate response
- ES = Exposure Scenario
- EUH statement = CLP-specific Hazard statement
- EuPCS = European Product Categorisation System
- EWC = European Waste Catalogue
- GHS = Globally Harmonized System of Classification and Labelling of Chemicals
- GWP = Global warming potential
- HP = Hazardous Property code
- IARC = International Agency for Research on Cancer (IARC)
- IATA = International Air Transport Association
- IBC = Intermediate Bulk Container
- IC = X maximum inhibitory concentration
- IMDG = International Maritime Dangerous Goods
- LC = Lethal concentration
- LCLo = Value is the lowest concentration of a material in air reported to have caused the death of animals or humans
- LD = Lethal dose
- LOAEC = Lowest Observed Adverse Effect Concentration
- LOAEL = Lowest Observed Adverse Effect Level
- LOEC = Lowest Observed Effect Concentration
- LogKow = logarithm of the n-octanol/water coefficient
- LL = Lethal Loading
- M = For multiplication factor
- MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of

1978. ("Marpol" = marine pollution)

NOAEC = No Observed Adverse Effect Concentration

NOAEL = No Observed Adverse Effect Level

NOEC = No Observed Effect Concentration

NOELR = No Observable Effect Loading Rate

OECD = Organisation for Economic Co-operation and Development

PBT = Persistent, Bioaccumulative and Toxic

PNEC = Predicted No Effect Concentration

RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail

RRN = REACH Registration Number

SCL = A specific concentration limit

SVHC = Substances of Very High Concern

STOT-RE = Specific Target Organ Toxicity - Repeated Exposure

STOT-SE = Specific Target Organ Toxicity - Single Exposure

TWA = Time weighted average

UN = United Nations

UVBC = Unknown or variable composition, complex reaction products or of biological materials

VOC = Volatile Organic Compound

vPvB = Very Persistent and Very Bioaccumulative

#### **Additional information**

In accordance with UK-REACH, a safety data sheet is not required for this product. This safety data sheet has been created on a voluntary basis to distribute relevant information as required by UK-REACH.

#### **The safety data sheet is validated by**

Quality & Compliance

#### **Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en