

## SAFETY DATA SHEET

# iD.30 easydose

## SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

### 1.1. Product identifier

▼ *Trade name:*  
iD.30 easydose

### 1.2. Relevant identified uses of the substance or mixture and uses advised against

*Relevant identified uses of the substance or mixture:*  
Cleaning product  
Restricted to professional and industrial use.

*Uses advised against :*  
None known.

### 1.3. Details of the supplier of the safety data sheet

*Company and address:*  
**i-team UK**  
The Alima Centre, 35 Sefton St  
L8 5SL Toxteth, Liverpool  
United Kingdom  
+44 1945 595177

*E-mail:*  
info@hygeniq.com

*Revision:*  
21/04/2026

*SDS Version:*  
6.0

*Date of previous version:*  
19/03/2026 (5.0)

### 1.4. Emergency telephone number

Healthcare professionals: Dial 0344 892 0111 to reach The National Poisons Information Service (NPIS) (24 hour service)

General public:

England - Dial 111 to reach NHS 111 (24 hour service)

Scotland - Dial 111 to reach NHS 24 (24 hour service)

Wales - Dial 111 or 0845 4647 to reach NHS Direct (24 hour service)

See section 4 "First aid measures".

## SECTION 2: HAZARDS IDENTIFICATION

### 2.1. Classification of the substance or mixture

Not classified according to Regulation (EC) No. 1272/2008 (CLP) as retained and amended in UK law.

## 2.2. Label elements

*Hazard pictogram(s):*

Not applicable.

*Signal word:*

Not applicable.

*Hazard statement(s):*

Not applicable.

*Precautionary statement(s):*

*General:*

Not applicable.

*Prevention:*

Not applicable.

*Response:*

Not applicable.

*Storage:*

Not applicable.

*Disposal:*

Not applicable.

*Hazardous substances:*

Contains no substances that need to be listed on the label.

*Additional labelling:*

*Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:*

< 5%

- Non-ionic surfactants
- Preservation agent (PHENOXYETHANOL)

## 2.3. Other hazards

*Additional warnings:*

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification. This product does not contain any substances considered to be endocrine disruptors in accordance with the criteria set out in Commission Delegated Regulation (EU) 2017/2100 or Commission Regulation (EU) 2023/707.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.1. Substances

Not applicable. This product is a mixture.

### 3.2. ▼ Mixtures

Product/substance	Identifiers	% w/w	Classification	Note
Glycerides, coco mono- and di-, ethoxylated	CAS No.: 68201-46-7 EC No.: 614-376-4 UK-REACH: Index No.:	3-5%		

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

ethanol ethyl alcohol	CAS No.: 64-17-5 EC No.: 200-578-6 UK-REACH: Index No.: 603-002-00-5	1-3%	Flam. Liq. 2, H225	
2-phenoxyethanol	CAS No.: 122-99-6 EC No.: 204-589-7 UK-REACH: 01-2119488943-21 Index No.: 603-098-00-9	<1%	Acute Tox. 4, H302 (ATE: 1394.00 mg/kg) Eye Dam. 1, H318 STOT SE 3, H335	
Tri-sodium citrate dihydrate	CAS No.: 6132-04-3 EC No.: 612-118-5 UK-REACH: Index No.:	<1%		
Sodium N-methyl-N-(1-oxotetradecyl)aminoacetate	CAS No.: 30364-51-3 EC No.: 250-151-3 UK-REACH: Index No.:	<0.05%	Skin Irrit. 2, H315 (SCL: 30.00 %) Eye Dam. 1, H318	
butanone ethyl methyl ketone	CAS No.: 78-93-3 EC No.: 201-159-0 UK-REACH: Index No.: 606-002-00-3	<0.05%	EUH066 Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	[1]
propan-2-ol	CAS No.: 67-63-0 EC No.: 200-661-7 UK-REACH: Index No.: 603-117-00-0	<0.05%	Flam. Liq. 2, H225 Eye Irrit. 2, H319 STOT SE 3, H336	
Denatonium benzoate	CAS No.: 3734-33-6 EC No.: 223-095-2 UK-REACH: 01-2120102843-65-XXXX Index No.:	<0.0001%	Acute Tox. 4, H302 Eye Dam. 1, H318 Acute Tox. 4, H332	

See full text of H-phrases in section 16. Occupational exposure limits are listed in section 8, if these are available.

#### Other information

[1] European occupational exposure limit.

## SECTION 4: FIRST AID MEASURES

### 4.1. Description of first aid measures

#### General information:

In the case of accident: Contact a doctor or casualty department – take the label or this safety data sheet. Contact a doctor if in doubt about the injured person's condition or if the symptoms persist. Never give an unconscious person water or other drink.

#### Inhalation:

Upon breathing difficulties or irritation of the respiratory tract: Bring the person into fresh air and stay with him/her.

#### Skin contact:

Remove contaminated clothing and shoes immediately. Ensure to wash exposed skin thoroughly with water and soap. Skin cleanser can be used. DO NOT use solvents or thinners.

#### Eye contact:

If in eyes: Flush eyes with water or saline water (20-30 °C) for at least 5 minutes. Remove contact lenses. Seek medical assistance and continue flushing during transport.

**Ingestion:**

If the person is conscious, rinse the mouth with water and stay with the person. Never give the person anything to drink.

In case of malaise, seek medical advice immediately and bring the safety data sheet or label from the product. Do not induce vomiting, unless recommended by the doctor. Have the person lean forward with head down to avoid inhalation of or choking on vomited material.

**Burns:**

Not applicable.

**4.2. Most important symptoms and effects, both acute and delayed**

None known.

**4.3. Indication of any immediate medical attention and special treatment needed**

Treat symptomatically.

**Information to medics**

Bring this safety data sheet or the label from this product.

## SECTION 5: FIREFIGHTING MEASURES

**5.1. Extinguishing media**

Not applicable.

**5.2. Special hazards arising from the substance or mixture**

Fire will result in dense smoke. Exposure to combustion products may harm your health. Closed containers, which are exposed to fire, should be cooled with water. Do not allow fire-extinguishing water to enter the sewage system and nearby surface waters.

If the product is exposed to high temperatures, e.g. in the event of fire, dangerous decomposition compounds are produced. These are:

Carbon oxides (CO / CO<sub>2</sub>)

**5.3. Advice for firefighters**

No specific requirements.

## SECTION 6: ACCIDENTAL RELEASE MEASURES

**6.1. Personal precautions, protective equipment and emergency procedures**

Ensure adequate ventilation, especially in confined areas.

Contaminated areas may be slippery.

**6.2. Environmental precautions**

Avoid discharge to lakes, streams, sewers, etc.

Keep unauthorized persons away from the spill

**6.3. Methods and material for containment and cleaning up**

Contain and collect spillage with non-combustible, absorbent material e.g. sand, earth, vermiculite or diatomaceous earth and place in container for disposal according to local regulations.

Wherever possible cleaning should be performed with normal cleaning agents. Avoid use of solvents.

**6.4. Reference to other sections**

See section 13 "Disposal considerations" on handling of waste.

See section 8 "Exposure controls/personal protection" for protective measures.

## SECTION 7: HANDLING AND STORAGE

### 7.1. Precautions for safe handling

Smoking, drinking and consumption of food is not allowed in the work area.  
See section 8 "Exposure controls/personal protection" for information on personal protection.

### 7.2. Conditions for safe storage, including any incompatibilities

Containers that have been opened must be carefully resealed and kept upright to prevent leakage.

*Recommended storage material:*

Keep only in original packaging.

*Storage conditions:*

*Incompatible materials:*

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

### 7.3. Specific end use(s)

This product should only be used for applications quoted in section 1.2.

## SECTION 8: EXPOSURE CONTROLS/PERSONAL PROTECTION

### 8.1. Control parameters

ethanol ethyl alcohol

Long term exposure limit (8 hours) (ppm): 1000

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 1920

butanone ethyl methyl ketone

Long term exposure limit (8 hours) (ppm): 200

Long term exposure limit (8 hours) (mg/m<sup>3</sup>): 600

Short term exposure limit (15 minutes) (ppm): 300

Short term exposure limit (15 minutes) (mg/m<sup>3</sup>): 899

Annotations:

BMVG = Biological Monitoring Guidance Value exists

Sk = Can be absorbed through the skin and lead to systemic toxicity.

The Control of Substances Hazardous to Health Regulations 2002. SI 2002/2677 The Stationery Office 2002.  
EH40/2005 Workplace exposure limits (Fourth Edition 2020).

### DNEL

2-phenoxyethanol

Duration:	Route of exposure:	DNEL:
Long term - Systemic effects	Dermal	10,42 mg/kg bw/day
Long term - Systemic effects - General population	Dermal	20,83 mg/kg bw/day
Long term - Systemic effects - Workers	Dermal	34,72 mg/kg bw/day
Long term - Local effects - Workers	Inhalation	5,7 mg/m <sup>3</sup>
Long term - Local effects - Workers	Inhalation	8,07 mg/m <sup>3</sup>
Long term - Systemic effects	Inhalation	2,41 mg/m <sup>3</sup>
Long term - Systemic effects - Workers	Inhalation	5,7 mg/m <sup>3</sup>
Long term - Systemic effects - Workers	Inhalation	8,07 mg/m <sup>3</sup>
Long term - Local effects - General population	Oral	9,32 mg/kg bw/day

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Short term – Systemic effects	Oral	9,23 mg/kg bw/day
-------------------------------	------	-------------------

butanone ethyl methyl ketone

Duration:	Route of exposure:	DNEL:
Long term		200 ppmV
Short term		300 ppmV
Long term – Systemic effects - General population	Dermal	412 mg/kg
Long term – Systemic effects - Workers	Dermal	1,161 mg/kg bw/day
Long term – Systemic effects - General population	Inhalation	106 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	590 mg/m <sup>3</sup>
Short term – Systemic effects - General population	Inhalation	450 mg/m <sup>3</sup>
Short term – Systemic effects - Workers	Inhalation	900 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	31 mg/kg bw/day

ethanol ethyl alcohol

Duration:	Route of exposure:	DNEL:
Long term		260 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Dermal	206 mg/kg
Long term – Systemic effects - Workers	Dermal	343 mg/kg
Long term – Systemic effects - General population	Inhalation	114 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	380 mg/m <sup>3</sup>
Long term – Systemic effects - Workers	Inhalation	950 mg/m <sup>3</sup>
Short term – Local effects - General population	Inhalation	950 mg/m <sup>3</sup>
Short term – Local effects - Workers	Inhalation	1900 mg/m <sup>3</sup>
Long term – Systemic effects - General population	Oral	87 mg/kg

**PNEC**

2-phenoxyethanol

Route of exposure:	Duration of Exposure:	PNEC:
Freshwater		0,943 mg/L
Freshwater sediment		7.2366 mg/kg TG
Intermittent release (freshwater)		3,44 mg/L
Marine water		0.0943 mg/L
Marine water sediment		0,7237 mg/kg
Sewage treatment plant		24,8 mg/L
Sewage treatment plant	Single	36 mg/L
Soil		1,26 mg/kg TG

butanone ethyl methyl ketone

Route of exposure:	Duration of Exposure:	PNEC:
Soil		22.5 mg/kg

ethanol ethyl alcohol

Route of exposure:	Duration of Exposure:	PNEC:
--------------------	-----------------------	-------

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Freshwater		0.96 mg/L
Freshwater sediment		3.6 mg/kg
Intermittent release (freshwater)		2.75 mg/L
Marine water		0.79 mg/L
Marine water sediment		2.9 mg/kg
Predators		0.38 g/kg
Predators		0.72 mg/kg
Sewage treatment plant		580 mg/L
Soil		0.63 mg/kg

## 8.2. Exposure controls

Compliance with the given occupational exposure limits values should be controlled on a regular basis.

### General recommendations:

Smoking, drinking and consumption of food is not allowed in the work area.

### Exposure scenarios:

There are no exposure scenarios implemented for this product.

### Exposure limits:

Professional users are subjected to the legally set maximum concentrations for occupational exposure. See occupational hygiene limit values above.

### Appropriate technical measures:

The formation of vapours must be kept at a minimum and below current limit values (see above). Installation of a local exhaust system if normal air flow in the work room is not sufficient is recommended. Ensure eyewash and emergency showers are clearly marked.

Apply standard precautions during use of the product. Avoid inhalation of vapours.

### Hygiene measures:

In between use of the product and at the end of the working day all exposed areas of the body must be washed thoroughly. Pay special attention to hands, forearms and face.

### Measures to avoid environmental exposure:

No specific requirements.

## Individual protection measures, such as personal protective equipment

### Generally:

Use only UKCA marked protective equipment.

### Respiratory Equipment:

Type	Class	Colour	Standards	
No special when used as intended.				

### Skin protection:

Recommended	Type/Category	Standards	
No specific requirements.	-	-	

### Hand protection:

Material	Glove thickness (mm)	Breakthrough time (min.)	Standards	
No special when used as intended	-	-	-	

*Eye protection:*

Type	Standards	
No special when used as intended.	-	

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

*Physical state:*

Liquid

*Colour:*

Yellow

*Odour / Odour threshold:*

Characteristic

*pH:*

ca. 7.2

*Density (g/cm<sup>3</sup>):*

1 (20 °C)

*Kinematic viscosity:*

No data available.

*Particle characteristics:*

Does not apply to liquids.

#### Phase changes

*Melting point/Freezing point (°C):*

No data available.

*Softening point/range (°C):*

Does not apply to liquids.

*Boiling point (°C):*

No data available.

*Vapour pressure:*

No data available.

*Relative vapour density:*

No data available.

*Decomposition temperature (°C):*

No data available.

#### Data on fire and explosion hazards

*Flash point (°C):*

No data available.

*Flammability (°C):*

No data available.

*Auto-ignition temperature (°C):*

No data available.

*Lower and upper explosion limit (% v/v):*

No data available.

#### Solubility

*Solubility in water:*

Completely soluble

*n-octanol/water coefficient (LogKow):*

No data available.

*Solubility in fat (g/L):*

No data available.

**9.2. Other information**

*Oxidizing properties:*

No data available.

*Other physical and chemical parameters:*

No data available.

## SECTION 10: STABILITY AND REACTIVITY

**10.1. Reactivity**

No data available.

**10.2. Chemical stability**

The product is stable under the conditions, noted in section 7 "Handling and storage".

**10.3. Possibility of hazardous reactions**

None known.

**10.4. Conditions to avoid**

None known.

**10.5. Incompatible materials**

Strong acids, strong bases, strong oxidizing agents, and strong reducing agents.

**10.6. Hazardous decomposition products**

Under normal conditions of storage and use, hazardous decomposition products should not be produced.

## SECTION 11: TOXICOLOGICAL INFORMATION

**11.1. Information on hazard classes as defined in Regulation (EC) No 1272/2008 as retained and amended in UK law**

**Acute toxicity**

Product/substance	2-phenoxyethanol
Species:	Rat
Route of exposure:	Oral
Test:	LD50
Result:	1840 mg/kg

Product/substance	2-phenoxyethanol
Species:	Rabbit
Route of exposure:	Dermal
Result:	>5000 mg/kg

Product/substance	2-phenoxyethanol
Species:	Rabbit, male/female
Route of exposure:	Dermal
Test:	LD50
Result:	>2214 mg/kg

Based on available data, the classification criteria are not met.

#### **Skin corrosion/irritation**

Product/substance	ethanol ethyl alcohol
Test method:	OECD 404
Species:	Rabbit
Result:	No adverse effect observed (Not irritating)

---

Product/substance	2-phenoxyethanol
Result:	Adverse effect observed (Corrosive)

---

Product/substance	2-phenoxyethanol
Test method:	OECD 404
Species:	Rabbit
Duration:	4 hours
Result:	No adverse effect observed (Not irritating)

---

Product/substance	butanone ethyl methyl ketone
Species:	Rabbit
Result:	Adverse effect observed (Moderately irritating)

Based on available data, the classification criteria are not met.

#### **Serious eye damage/irritation**

Product/substance	ethanol ethyl alcohol
Test method:	OECD 405
Species:	Rabbit
Result:	Adverse effect observed (Irritating)

---

Product/substance	2-phenoxyethanol
Result:	Adverse effect observed (Causes serious eye damage)

---

Product/substance	2-phenoxyethanol
Test method:	OECD 405
Species:	Rabbit
Duration:	15 days
Result:	Adverse effect observed (Causes serious eye damage)

---

Product/substance	butanone ethyl methyl ketone
Species:	Rabbit
Result:	Adverse effect observed (Highly irritating)

Based on available data, the classification criteria are not met.

#### **Respiratory sensitisation**

Product/substance	2-phenoxyethanol
Result:	Adverse effect observed (sensitising)

Based on available data, the classification criteria are not met.

#### **Skin sensitisation**

Product/substance	2-phenoxyethanol
Test method:	OECD 406
Species:	Guinea pig
Result:	No adverse effect observed (not sensitising)

Based on available data, the classification criteria are not met.

#### **▼ Germ cell mutagenicity**

Product/substance	ethanol ethyl alcohol
-------------------	-----------------------

Test method: OECD 471  
Species: *S. typhimurium*  
Conclusion: No adverse effect observed

Product/substance 2-phenoxyethanol  
Test method: OECD 471  
Species: *S. typhimurium*  
Description: 20-5000  
Conclusion: No adverse effect observed

Product/substance butanone ethyl methyl ketone  
Test method: Ames-test  
Species: *S. typhimurium*  
Conclusion: No adverse effect observed

Based on available data, the classification criteria are not met.

### **Carcinogenicity**

Based on available data, the classification criteria are not met.

### **Reproductive toxicity**

Product/substance 2-phenoxyethanol  
Species: Mouse, male/female  
Result: 1875 mg/kg bw

Based on available data, the classification criteria are not met.

### **STOT-single exposure**

Based on available data, the classification criteria are not met.

### **STOT-repeated exposure**

Based on available data, the classification criteria are not met.

### **Aspiration hazard**

Based on available data, the classification criteria are not met.

### **Symptoms related to the physical, chemical and toxicological characteristics**

None known.

## **11.2. Information on other hazards**

### **Endocrine disrupting properties**

This mixture/product does not contain any substances known to have hormone-disrupting properties in relation to health.

### **Other information**

None known.

## **SECTION 12: ECOLOGICAL INFORMATION**

### **12.1. ▼ Toxicity**

Product/substance ethanol ethyl alcohol  
Test method: OECD 203  
Species: Fish, *Leuciscus idus*  
Duration: 48 hours  
Test: LC50  
Result: > 100 mg/L

Product/substance ethanol ethyl alcohol  
Test method: OECD 202  
Species: *Daphnia*, *Daphnia magna*

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Duration: 24 hours  
Test: EC50  
Result: > 100 mg/L

Product/substance ethanol ethyl alcohol  
Species: Algae  
Test: EC50  
Result: > 100 mg/L

Product/substance 2-phenoxyethanol  
Species: Fish  
Duration: 96 hours  
Test: LC50  
Result: >100 mg/L

Product/substance 2-phenoxyethanol  
Species: Algae  
Duration: 72 hours  
Test: ErC50  
Result: >100 mg/L

Product/substance 2-phenoxyethanol  
Species: Daphnia magna  
Duration: 48 hours  
Test: EC50  
Result: >100 mg/L

Product/substance 2-phenoxyethanol  
Species: Fish  
Test: NOEC  
Result: 23 mg/L

Product/substance 2-phenoxyethanol  
Species: Andere waterorganismen  
Duration: 30 minutes  
Test: EC50  
Result: >1000 mg/L

Product/substance 2-phenoxyethanol  
Species: Fish, Pimephales promelas  
Duration: 96 hours  
Result: 344 mg/L

Product/substance 2-phenoxyethanol  
Test method: OECD 202  
Species: Daphnia, Daphnia magna  
Duration: 48 hours  
Result: >500 mg/L

Product/substance 2-phenoxyethanol  
Test method: Richtlijn 67/548/EEG, Bijlage V, C.1.  
Species: Algae, Desmodesmus subspicatus  
Duration: 72 hours  
Result: 625 mg/L

According to REACH Regulation (EC) No 1907/2006, as retained and amended by SI 2019/758 and SI 2020/1577

Product/substance 2-phenoxyethanol  
 Test method: OECD 211  
 Species: Daphnia, Daphnia magna  
 Test: NOEC  
 Result: 9,43 mg/L

Product/substance 2-phenoxyethanol  
 Species: Algae  
 Test: EC50  
 Result: 107 mg/kg

Product/substance 2-phenoxyethanol  
 Test: EC50  
 Result: 37 mg/kg

Product/substance butanone ethyl methyl ketone  
 Test method: OECD 203  
 Species: Fish, Leuciscus idus  
 Duration: 48 hours  
 Test: LC50  
 Result: > 100 mg/L

Product/substance butanone ethyl methyl ketone  
 Test method: OECD 203  
 Species: Pimephales promelas  
 Duration: 96 hours  
 Test: LC50  
 Result: 2990 mg/L

Product/substance butanone ethyl methyl ketone  
 Species: Daphnia, Daphnia magna  
 Duration: 48 hours  
 Test: EC50  
 Result: > 100 mg/L

Product/substance butanone ethyl methyl ketone  
 Species: Algae, Desmodesmus subspicatus  
 Duration: 7 days  
 Test: EC50  
 Result: > 100 mg/L

Product/substance butanone ethyl methyl ketone  
 Test method: OECD 201  
 Species: Pseudokirchneriella subcapitata  
 Duration: 72 hours  
 Test: EC50  
 Result: 1972 mg/L

Based on available data, the classification criteria are not met.

## 12.2. Persistence and degradability

Product/substance ethanol ethyl alcohol  
 Duration: 5 days  
 Result: > 70 %  
 Conclusion: -  
 Test: OECD 301 D

Product/substance	2-phenoxyethanol
Result:	>70 %
Conclusion:	Readily biodegradable
Test:	OECD 301 A

Product/substance	2-phenoxyethanol
Compartment:	Activated Sludge Plant
Duration:	28 days
Result:	90 %
Conclusion:	Readily biodegradable
Test:	OECD 301 F

Product/substance	2-phenoxyethanol
Compartment:	Activated Sludge Plant
Result:	> 90 %
Conclusion:	Readily biodegradable

Product/substance	butanone ethyl methyl ketone
Duration:	28 days
Result:	98 %
Conclusion:	Readily biodegradable
Test:	OECD 301 D

### 12.3. Bioaccumulative potential

Product/substance	2-phenoxyethanol
BCF:	0.349
LogKow:	1.2
Conclusion:	-

### 12.4. Mobility in soil

No data available.

### 12.5. Results of PBT and vPvB assessment

This mixture/product does not contain any substances known to fulfil the criteria for PBT and vPvB classification.

### 12.6. Endocrine disrupting properties

This mixture/product does not contain any substances considered to have endocrine-disrupting properties in relation to the environment.

### 12.7. Other adverse effects

None known.

## SECTION 13: DISPOSAL CONSIDERATIONS

### Waste treatment methods

Product is not covered by regulations on dangerous waste.  
Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

### EWC code

20 01 30            Detergents other than those mentioned in 20 01 29

### Specific labelling

### Contaminated packing

Packaging containing residues of the product must be disposed of similarly to the product.

## SECTION 14: TRANSPORT INFORMATION

	14.1 UN / ID	14.2 UN proper shipping name	14.3 Hazard class(es)	14.4 PG*	14.5 Env**	Other information:
ADR/ADN/RID	-	-	-	-	-	-
IMDG	-	-	-	-	-	-
IATA	-	-	-	-	-	-

\* Packing group

\*\* Environmental hazards

### Additional information

Not dangerous goods according to ADR/ADN/RID, IATA and IMDG.

### 14.6. Special precautions for user

Not applicable.

### 14.7. Maritime transport in bulk according to IMO instruments

No data available.

## SECTION 15: REGULATORY INFORMATION

### 15.1. Safety, health and environmental regulations/legislation specific for the substance or mixture

#### Restrictions for application:

Restricted to professional users.

#### Demands for specific education:

No specific requirements.

#### Control of Major Accident Hazards (COMAH) - Categories / dangerous substances:

Not applicable.

#### Regulation on drug precursors:

butanone ethyl methyl ketone is included (Category 3)

#### UK-REACH, Annex XVII:

ethanol ethyl alcohol is subject to UK-REACH restrictions (entry 40).

butanone ethyl methyl ketone is subject to UK-REACH restrictions (entry 40).

#### Labelling of contents according to Detergents Regulation (EC) No 648/2004 as retained and amended in UK law:

< 5%

- Non-ionic surfactants
- Preservation agent (PHENOXYETHANOL)

#### Additional information:

Not applicable.

#### Sources:

The Health and Safety at Work etc. Act 1974 Regulations 2013.

Regulation (EC) No 648/2004 on detergents as retained and amended in UK law.

Regulation (EU) No 1357/2014 of 18 December 2014 on waste as retained and amended in UK law.

The Controlled Drugs (Drug Precursors) Regulations 2008.

Regulation (EC) No 1272/2008 on classification, labelling and packaging of substances and mixtures (CLP) as retained and amended in UK law.

Regulation (EC) No 1907/2006 concerning the Registration, Evaluation, Authorisation and Restriction of Chemicals (REACH) as retained and amended in UK law.

## 15.2. Chemical safety assessment

No

## SECTION 16: OTHER INFORMATION

### Full text of H-phrases as mentioned in section 3

EUH066, Repeated exposure may cause skin dryness or cracking.

H225, Highly flammable liquid and vapour.

H302, Harmful if swallowed.

H315, Causes skin irritation.

H318, Causes serious eye damage.

H319, Causes serious eye irritation.

H332, Harmful if inhaled.

H335, May cause respiratory irritation.

H336, May cause drowsiness or dizziness.

### Abbreviations and acronyms

ADN = European Provisions concerning the International Carriage of Dangerous Goods by Inland Waterway

ADR = The European Agreement concerning the International Carriage of Dangerous Goods by Road

ATE = Acute Toxicity Estimate

BCF = Bioconcentration Factor

CAS = Chemical Abstracts Service

CE = Conformité Européenne (European conformity)

CLP = Classification, Labelling and Packaging Regulation [Regulation (EC) No. 1272/2008]

CSA = Chemical Safety Assessment

CSR = Chemical Safety Report

DMEL = Derived Minimal Effect Level

DNEL = Derived No Effect Level

EC = Effective concentration

ED = Effective dose

EINECS = European Inventory of Existing Commercial chemical Substances

EL = Effective Loading

ErC = Concentration associated with x% growth rate response

ES = Exposure Scenario

EUH statement = CLP-specific Hazard statement

EuPCS = European Product Categorisation System

EWC = European Waste Catalogue

GHS = Globally Harmonized System of Classification and Labelling of Chemicals

GWP = Global warming potential

HP = Hazardous Property code

IARC = International Agency for Research on Cancer (IARC)

IATA = International Air Transport Association

IBC = Intermediate Bulk Container

IC = X maximum inhibitory concentration

IMDG = International Maritime Dangerous Goods

LC = Lethal concentration

LCLo = Value is the lowest concentration of a material in air reported to have caused the death of animals or humans

LD = Lethal dose

LOAEC = Lowest Observed Adverse Effect Concentration

LOAEL = Lowest Observed Adverse Effect Level

LOEC = Lowest Observed Effect Concentration

LogKow = logarithm of the n-octanol/water coefficient

LL = Lethal Loading

M = For multiplication factor

MARPOL = International Convention for the Prevention of Pollution From Ships, 1973 as modified by the Protocol of 1978. ("Marpol" = marine pollution)  
NOAEC = No Observed Adverse Effect Concentration  
NOAEL = No Observed Adverse Effect Level  
NOEC = No Observed Effect Concentration  
NOELR = No Observable Effect Loading Rate  
OECD = Organisation for Economic Co-operation and Development  
PBT = Persistent, Bioaccumulative and Toxic  
PNEC = Predicted No Effect Concentration  
RID = The Regulations concerning the International Carriage of Dangerous Goods by Rail  
RRN = REACH Registration Number  
SCL = A specific concentration limit  
SVHC = Substances of Very High Concern  
STOT-RE = Specific Target Organ Toxicity - Repeated Exposure  
STOT-SE = Specific Target Organ Toxicity - Single Exposure  
TWA = Time weighted average  
UN = United Nations  
UVBC = Unknown or variable composition, complex reaction products or of biological materials  
VOC = Volatile Organic Compound  
vPvB = Very Persistent and Very Bioaccumulative

**Additional information**

Not applicable.

**The safety data sheet is validated by**

Quality & Compliance

**Other**

A change (in proportion to the last essential change (first cipher in SDS version, see section 1)) is marked with a triangle.

The information in this safety data sheet applies only to this specific product (mentioned in section 1) and is not necessarily correct for use with other chemicals/products.

It is recommended to hand over this safety data sheet to the actual user of the product. Information in this safety data sheet cannot be used as a product specification.

Country-language: GB-en